

## Notes:

This report lists all commands available in the current FrameMaker environment (version & language) at runtime.

All modifications of the commands (via FM cfg file, CustomUI.cfg, script or plug-in) are shown.

The command sequence in this report corresponds to their initialization by FrameMaker. The group titles for the report are read from the corresponding comment lines of the FM-cfg files.

First, those commands defined in the configuration file 'cmds.cfg' file are listed.

Then the equation commands from the 'mathcmds.cfg' file are listed.

In the configuration file 'wincmds.cfg' primarily platform-specific keyboard shortcuts are added to the commands that have already been initialized; a few new Windows-specific commands are, however, also defined.

FrameMaker then subsequently initializes the command modifications of the configuration file 'CustomUI.cfg' (also refer to MicroType's [ToolbarPlus Express](#) [Express Customization] on this).

In conclusion, those commands in this report that are defined by API clients (plug-ins) are listed. Among these are all FrameScripts that are installed.

You can create an Index of the shortcuts from the report!

The 'FC Dec' column renders the FM commands internal code in decimal format. It can be used in order to call up the respective command, with FrameScript for example:

```
Execute FC 770;
```

The 'FC Hex' column renders FM command internal code into hexadecimal format. It corresponds to the specifications in the cfg files (\x302) as well as the definitions in the fcodes.h file of the FDK (0x302).

The FDK names listed for the commands correspond to the FC constants from FrameScript, whereby the FrameScript constants don't contain underscores:

```
Execute FC KbdHelp;
```

## Groups:

- 2 Main Window commands
- 2 File Menu
- 3 Edit menu
- 5 Format Menu
- 7 View menu
- 8 Special Menu
- 9 Graphics Menu
- 10 Table Menu
- 11 Help Menu
- 11 Book File Menu
- 11 Book View Menu
- 11 Ditamap File Menu
- 12 Viewer Popup
- 12 Window Popup
- 12 Fluid view commands
- 12 Alignment Commands
- 13 Character Format
- 13 Deletion
- 14 Diacritics
- 17 more edit commands
- 18 Fill Pattern
- 18 Graphics
- 18 Highlighting
- 19 Object Selection
- 20 Insertion Point
- 20 Kerning
- 21 Line Width

- 21 Miscellaneous
- 22 Page Commands
- 22 Paragraph Format
- 23 Pen Pattern
- 24 Special Stuff
- 24 Spelling
- 25 AutoSpellCheck
- 25 Tools
- 25 Dashed Lines Commands
- 26 More View Commands
- 26 View Separations
- 26 Window menu
- 27 Table Commands
- 27 Table Dialog Shortcuts
- 28 Keyboard Table Selection
- 28 Keyboard Table IP Navigation
- 28 Focus
- 29 Close Modeless Dialogs
- 30 Special Palette Commands
- 30 FrameMaker-Structured commands
- 30 Element Commands
- 30 View Commands
- 31 Commands for the makersgml API clients
- 32 Special Commands
- 32 Non-menu Structure Commands
- 32 Structure IP Navigation
- 33 Structure Selection Commands

- 33 Validation Commands
- 33 Structure Commands
- 34 DRE (Dialog Editing) commands for FDK developers
- 34 PDFSize Client commands
- 34 Notes Client commands
- 35 Table Sort Client command
- 35 Adobe Online commands
- 35 Math – Equations menu
- 36 Math – Greek Letters
- 37 Math – Diacritical Marks
- 37 Math – Unusual Symbols
- 38 Math – template - N-ary
- 39 Math – template - multi-format
- 39 Math – template - Large
- 40 Math – template - binary
- 40 Math – Indices
- 40 Math – Functions
- 40 Math – Unaries
- 41 Math – Matrices
- 42 Math – Computation
- 42 Math – editing/navigation
- 43 Math – Alignment stuff
- 44 Windows Commands
- 46 Custom / API Client Commands
- 51 Script Commands

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
<b>Main Window commands</b>					
Help	Help Topics...	Esc fh, F1	770	302	KBD_HELP
Info	Info...		771	303	KBD_INFO
AboutFrameProduct	About FrameMaker...	Esc ?v, Esc fl	773	305	KBD_ABOUTPRODUCT
ContextSensitiveHelp	Context-Sensitive Help	Shift+F1	772	304	KBD_CSHELPMODE
<b>File Menu</b>					
NewDocument	Document...	Esc fn, Ctrl+n	19664368	12C0DF0	
NewBook	Book	Esc fN	776	308	KBD_NEWBOOK
RepeatNew	Repeat Last New		797	31D	KBD_REPEATNEW -- Repeat last new command
CustomNew	Custom New		767	2FF	KBD_CUSTOMNEW -- Custom Blank Paper dialog
Open	Open...	Esc fo, Ctrl+o, Ctrl+Shift+o	769	301	KBD_OPEN
OpenComponents	Open		1002	3EA	KBD_OPEN_COMPONENTS
OpenHeroic	Heroic Open...	Esc oH	774	306	KBD_HEROIC_OPEN
OpenSilent	Silent Open...	Esc oS	775	307	KBD_SILENT_OPEN
BookOpenAll	Open All Files in Book	Esc fO	794	31A	KBD_OPENALL -- Open all
DitamapOpenAll	Open All Files in Ditamap	Esc fO	794	31A	KBD_OPENALL -- Open all
Save	Save	Esc fs, Ctrl+s	784	310	KBD_SAVE
SaveAs	Save As...	Esc fa	785	311	KBD_SAVEAS
SaveAsPdf	Save As PDF...	Esc fwp	2384	950	KBD_SAVEASPDF
SaveAsXml	Save As XML...	Esc fwx	2385	951	KBD_SAVEASXML
SaveComponents	Save		1005	3ED	KBD_SAVE_COMPONENTS
Revert	Revert to Saved	Esc fr	786	312	KBD_REVERT
ImportFile	File...	Esc fif	788	314	KBD_IMPORT -- Import File
ImportFormats	Formats...	Esc fio	790	316	KBD_USEFMTFROM -- Import Formats
IShowImportFiles			3092	C14	MENU_IMPORT_FILE -- Import file from menu
DocInfo	File Info...	Esc fil	986	3DA	KBD_DOCINFO -- File Info
Print	Print...	Esc fp, Ctrl+p	787	313	KBD_PRINT
PrintComponents	Print Selected Files...	Esc fF	1004	3EC	KBD_PRINT_COMPONENTS
DocCompare	Compare Documents...	Esc ftc	799	31F	KBD_COMPARE -- Compare docs or books
DocReport	Document Reports...	Esc ftr	3856	F10	KBD_DOC_REPORT -- Document reports
ApiClientInfo	API Client Info...	Esc fti	3857	F11	

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
ValidateHypertext	Validate Hypertext...	Esc vh	3859	F13	KBD_VALIDATE_HYPertext -- Validate hypertext makers
MWHTMLSetup	HTML Setup...	Esc fth	15797744	F10DF0	
Capture	Capture...	Esc ftp	598	256	KBD_ECAPTURE -- Capture portion of screen, compressed
CaptureInStandardFormat	Capture in Standard Format...	Esc ftP	593	251	KBD_CAPTURE -- Capture portion of screen, not used
!Macro	Keyboard Macros...	Esc ftk	791	317	KBD_KBMACRO
StartStopRecordingKeys	Start/Stop Recording Keys		594	252	KBD_RECORD -- Record keystrokes
!MacroGetTrigger	Stop Recording Keys...		595	253	KBD_GETTRIGGER -- Get trigger for recorded keystrokes
Preferences	Preferences...	Esc fP	792	318	KBD_SESSION -- Session preferences
PodsLocationCriteria	Pods Location Criteria...	Esc pL	798	31E	KBD_PODLOCATION
!ShowFilesRecentlyVisited			3091	C13	MRU_SELECT_FILE -- Select a most recently visited
Quit	Close	Esc fc, Esc fq, Ctrl+w, Ctrl+Shift+w, Ctrl+F4	921	399	KBD_QUITWIN
CloseComponents	Close		1003	3EB	KBD_CLOSE_COMPONENTS
QuitAll	Close All Open Files	Esc fC, Esc fQ	795	31B	KBD_QUITALL -- Quit all
SaveAll	Save All Open Files	Esc fS	796	31C	KBD_SAVEALL -- Save all
TerminateMaker	Exit		4095	FFF	FM_TERMINATE -- Quit FrameMaker
InlineTypeIn			3571	DF3	INLINE_TYPEIN -- Inline input for Asian text
GotoPreviousView	Go Back	Esc vP	3824	EF0	KBD_BACKSTACK -- Backward Link
GotoPreviousViewFitWindowToPage	Go Back & Fit Window to Page	Esc vW	3824	EF0	KBD_BACKSTACK -- Backward Link
GotoNextView	Go Back Back	Esc vN	3825	EF1	KBD_UPSTACK -- Forward Link
GotoNextViewFitWindowToPage	Go Back Back & Fit Window To Page	Esc vX	3825	EF1	KBD_UPSTACK -- Forward Link
Lock	Lock/Unlock Document	Esc Flk	3840	F00	KBD_VIEWER -- Toggle view-only document or book

## Edit menu

Undo	Undo	Esc eu, Ctrl+z, Ctrl+Shift+z, Alt+BkSp	800	320	KBD_UNDO
Redo	Redo	Esc er, Ctrl+Shift+z	2357	935	KBD_REDO
History	History	Esc eh, Ctrl+k, Ctrl+Shift+k	2358	936	KBD_HIST
Repeat	Repeat	Esc ez, F6	2361	939	KBD_REPEAT
Cut	Cut	Esc ex, Shift+Delete, Ctrl+x, Ctrl+Shift+x	801	321	KBD_CUT
Copy	Copy	Esc ec, Ctrl+Insert, Ctrl+c	802	322	KBD_COPY

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
Paste	Paste	Esc ep, Shift+Insert, Ctrl+v	803	323	KBD_PASTE
YankKillBuffer	Yank Kill Buffer	Esc eY, Ctrl+y	812	32C	KBD_YANK -- pastes kill buffer
PasteSpecial	Paste Special...	Ctrl+Shift+v	3344	D10	KBD_PASTESPECIAL
Clear	Clear	Esc eb	804	324	KBD_CLEAR
CopyPgFormat	Paragraph Format	Esc eyp	806	326	KBD_COPYPGF -- Copy pgf properties
CopyCharFormat	Character Format	Esc eyc	805	325	KBD_COPYFONT -- Copy font properties
CopyCondTextSettings	Conditional Text Settings	Esc eyd	3997	F9D	KBD_COPYCOND -- Copy Condition Setting
CopyTableColumnWidth	Table Column Width	Esc eyw	3996	F9C	KBD_COPYCOLW -- Copy Column Width
CopyElemAttrs	Attribute Values	Esc eya	3999	F9F	KBD_COPYATTRS -- Copy Element Attributes
SelectAll	Select All on Page	Esc ea, Ctrl+a, Ctrl+Shift+a	807	327	KBD_SELECTALL
SelectAllGeneratedFiles	Generated Files	Esc eAG	813	32D	KBD_SELECT_GENERATED_FILES
SelectAllNonGeneratedFiles	Nongenerated Files	Esc eAN	814	32E	KBD_SELECT_NON_GENERATED_FILES
SelectAllFMFiles	FrameMaker Files	Esc eAF	789	315	KBD_SELECT_FM_FILES
SelectAllExcludedItems	Excluded Components	Esc eAE	2513	9D1	KBD_SELECT_EXCLUDED_FILE
SelectAllNonExcludedItems	Nonexcluded Components	Esc eNE	2514	9D2	KBD_SELECT_NONEXCLUDED_FILE
CollapseAllComponents	Collapse All	Esc cAC	1018	3FA	KBD_COLLAPSE_ALL
ExpandAllComponents	Expand All	Esc eAC	1019	3FB	KBD_EXPAND_ALL
SelectChapterComponents	Chapter Components	Esc cl	2515	9D3	KBD_SELECT_CHAPTER_COMPONENTS
SelectSectionComponents	Section Components	Esc sl	2516	9D4	KBD_SELECT_SECTION_COMPONENTS
SelectSubSectionComponents	Sub-section Components	Esc ssl	2517	9D5	KBD_SELECT_SUBSECTION_COMPONENTS
Stuff	Replace	Esc ii	808	328	KBD_STUFF
Find/Change	Find/Change...	Esc ef, Ctrl+f	809	329	KBD_SEARCH
SpellingChecker	Spelling Checker...	Esc es	810	32A	KBD_SPELLING
Thesaurus	Thesaurus...	Esc et	976	3D0	KBD_THESAURUS -- lookup selected word in Thesaurus
ThesaurusReplace	Replace selection with thesaurus selection	Esc Tr	979	3D3	KBD_THESAURUS_REPLACE -- replace active selection with word from thesaurus
TextInsetProps	Text Inset Properties...	Esc ei	992	3E0	TEXT_INSET_PROPS -- Text inset properties
Update	Update References...	Esc eU, Esc fg	993	3E1	KBD_GENERATE (see also: UPDATE_INSETS)
SuppressReferenceUpdating	Suppress Automatic Reference Updating...	Esc eS	994	3E2	SUPPRESS_INSETS -- Suppress auto reference updating
EditMarkerTypes	Edit Marker Types...	Esc emt	1033	409	KBD_EDITMARKERTYPE -- Edit Marker Types

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
<b>Format Menu</b>					
!ShowFontChoices			3081	C09	TXT_FAMILY_AND_VARIATION -- Set text family and variation
Size7	7 pt		3072	C00	TXT_7 -- Set text to 7 point
Size9	9 pt		3073	C01	TXT_9 -- Set text to 9 point
Size10	10 pt		3074	C02	TXT_10 -- Set text to 10 point
Size12	12 pt		3075	C03	TXT_12 -- Set text to 12 point
Size14	14 pt		3076	C04	TXT_14 -- Set text to 14 point
Size18	18 pt		3077	C05	TXT_18 -- Set text to 18 point
Size24	24 pt		3078	C06	TXT_24 -- Set text to 24 point
SizeOther	36 pt		3079	C07	TXT_USIZE -- Set text to the last size (initially 36)
SizeChoose	Other...		3080	C08	TXT_OTHERSIZE -- Set text size with dialog
StylePlain	Plain	Esc cp	611	263	TXT_PLAIN -- Set chars to plain
StyleBold	Bold	Esc cb, F4, Ctrl+b, Ctrl+Shift+b	608	260	TXT_BOLD -- Set chars to bold
StyleItalic	Italic	Esc ci, F5, Ctrl+Tab	609	261	TXT_ITALIC -- Set chars to italic
StyleUnderline	Underline	Esc cu, Ctrl+u, Ctrl+Shift+u	610	262	TXT_UNDERLINE -- Set chars to underline
StyleDoubleUnderline	Double Underline	Esc cd	632	278	TXT_DBLUNDERLINE -- Set chars to double underline
StyleStrikethrough	Strikethrough	Esc cs, Ctrl+/ 	620	26C	TXT_STRIKEOUT -- Set chars to strikethrough
StyleOverline	Overline	Esc co	622	26E	TXT_OVERLINE -- Set chars to overline
StyleChangeBar	Change Bar	Esc ch, Ctrl+Shift+BkSp	623	26F	TXT_CHANGEBAR -- Set chars to change bar
StyleSuperscript	Superscript	Esc c+, Ctrl+Shift++	612	264	TXT_SUPER -- Set chars to superscript
StyleSubscript	Subscript	Esc c-, Ctrl+_	613	265	TXT_SUB -- Set chars to subscript
StyleSmallCaps	Small Caps	Esc cm, Ctrl+e	627	273	TXT_MINICAPS -- Set chars to small caps
CharacterFormatDesigner	Designer...	Esc ocd, Ctrl+d	816	330	KBD_FONTDESIGN -- Character Format Designer
CharacterCatalog	Catalog...	Esc occ	3876	F24	KBD_FONTWIN -- font catalog window
CharQuickKey	Quick Character	Esc qc, F8, Ctrl+8	3904	F40	KBD_FONTQUICK -- Char fmt quick key
CharacterDefaultPgFont	Default Paragraph Font	Esc ocp	621	26D	TXT_DEFAULT -- Set chars to default pgf font
!ShowCharacterTags			3089	C11	CHAR_APPLY_TAG -- Set char tag from menu
ParagraphFormatDesigner	Designer...	Esc opd, Ctrl+Return, Ctrl+Shift+Return	817	331	KBD_PGFDESIGN -- Paragraph Format Designer

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
ParagraphCatalog	Catalog...	Esc opc	3875	F23	KBD_PGFWIN -- paragraph catalog window
!ShowParagraphTags			3088	C10	PGF_APPLY_TAG -- Set pgf tag from menu
ColumnLayout	Column Layout...	Esc ocl, Esc ogn	840	348	KBD_COLLAYOUT
LineLayout	Line Layout...	Esc oll	818	332	KBD_LINELAYOUT
PageSize	Page Size...	Esc ops	841	349	KBD_PAGESIZE
Pagination	Pagination...	Esc opi	2624	A40	KBD_PAGINATION
MasterPageUsage	Master Page Usage...	Esc omu, Esc ogm	842	34A	KBD_PAGEBACK
NewMasterPage	New Master Page...	Esc omp, Esc pm	2570	A0A	KBD_NEWMMASTER
ReorderMasterPage	Reorder Custom Master Pages...	Esc omr	2571	A0B	KBD_REORDERMASTER -- Reorder Master Pages
UpdateColumnLayout	Update Column Layout...	Esc oup, Esc pu	2560	A00	KBD_PAGEUPDATE
CustomizeTextFrame	Customize Text Frame...	Esc ocf	2561	A01	KBD_CUST_TEXT_FRAME -- Customize text frame
ConnectTextFrames	Connect Text Frames	Esc CC	859	35B	KBD_CONNECT_TEXT_FRAME -- Connect text frames
CutHead	Disconnect Previous	Esc CP	860	35C	KBD_CUTHEAD -- Cut Previous
CutTail	Disconnect Next	Esc CN	861	35D	KBD_CURTAIL -- Cut Next
CutBoth	Disconnect Both	Esc CB	2564	A04	KBD_CUTBOTH -- Cut Both
SplitTextFrame	Split Text Frame	Esc CS	858	35A	KBD_SPLIT -- Split column below IP
RotatePageClockwise	Rotate Page Clockwise	Esc pO	846	34E	KBD_ROTPAGE_PLUS -- Rotate page clockwise
RotatePage	Rotate Page Counterclockwise	Esc po	847	34F	KBD_ROTPAGE_MINUS -- Rotate page CounterC
RotatePageNormal	Unrotate Page	Esc pU	2565	A05	KBD_ROTPAGE_NORM -- Un-rotate Page
DocumentNumbering	Numbering...	Esc odn	819	333	KBD_NUMBERING -- Doc Numbering
ChangeBars	Change Bars...	Esc ob	820	334	KBD_CBARPRO -- Change Bars
FootnoteProperties	Footnote Properties...	Esc of	821	335	KBD_FOOTNOTEPRO -- Footnote Properties
AcrobatSetup	PDF Setup...	Esc odp, Esc oda	876	36C	KBD_ACROBAT_SETUP -- PDF Setup
TextOptions	Text Options...	Esc oto	823	337	KBD_TEXT_OPTIONS -- Text Options
CombinedFonts	Combined Fonts...	Esc oco	824	338	KBD_COMBINED_FONTS -- Combined Fonts
RubiProperties	Rubi Properties...	Esc or	989	3DD	KBD_RUBIPROPS
HeaderFooterInsertPageNum	Insert Page #	Esc ohp	2566	A06	KBD_VARCURPG -- Insert current page # variable
HeaderFooterInsertPageCount	Insert Page Count	Esc ohc	2567	A07	KBD_VARPGCOUNT -- Insert page count variable
HeaderFooterInsertCurrentDate	Insert Current Date	Esc ohd	2568	A08	KBD_VARCURDATE -- Insert current date # variable

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
HeaderFooterInsertOther	Insert Other...	Esc oho	2569	A09	KBD_VAROTHER -- Insert current date # variable
FreezePagination	Freeze Pagination...	Esc pz	843	34B	KBD_FREEZE
<b>View menu</b>					
ViewBorders	Borders	Esc vb	865	361	KBD_BORDERS
ViewHotspotIndicators	Hotspot Indicators	Esc vHS	1288	508	KBD_HOTSPOTINDICATORS -- toggle hotspot indicator
ViewTextSymbols	Text Symbols	Esc vt	866	362	KBD_SYMBOLS
ViewRulers	Rulers	Esc vr	867	363	KBD_RULERS
!ShowRulerToggle					
ToggleFullAbbrevRuler	Full/Abbreviated Ruler	Esc oa	957	3BD	KBD_FULLRULERS -- toggle full/abbreviated rulers
!ShowRulerAlignmentSpacingAndTabs					
!ShowRulerParagraphTags					
ViewGridLines	Grid Lines	Esc vg	868	364	KBD_GRID
ViewPublisherBoundaries	Publisher Boundaries	Esc vl	983	3D7	KBD_LINK_BOUNDARIES -- Turn link borders on and off. Currently only effect Publishers
ViewOptions	Options...	Esc vo	864	360	KBD_OPTIONS
GotoPage	Go to Page...	Esc vp, Ctrl+g, Ctrl+Shift+g	837	345	KBD_GOTOPAGE
ViewBodyPages	Body Pages	Esc vB	834	342	KBD_BODYPAGE
ViewMasterPages	Master Pages	Esc vM	835	343	KBD_MASTERPAGE
ViewReferencePages	Reference Pages	Esc vR	836	344	KBD_REFPAGE
ColorViews	Views...	Esc vcv	869	365	KBD_SEPARATIONS
ColorDefinitions	Definitions...	Esc vcd	927	39F	KBD_COLOR
!ShowDocumentWindows					
ViewQuickMenus	Quick	Esc vmq	830	33E	KBD_MENUQUICK
ViewCompleteMenus	Complete	Esc vmc	829	33D	KBD_MENUCOMPLETE
ViewCustomMenus	Custom	Esc vmu	831	33F	KBD_MENUCUSTOM
ViewModifyMenus	Modify...	Esc vmm	985	3D9	KBD_MENUMODIFY
ResourceManager	Resource Manager...	Esc rm	2538	9EA	SWITCH_TO_RESOURCEMANAGER
DocumentView	Document View...	Esc dv	2539	9EB	SWITCH_TO_DOCUMENTVIEW
ViewInsets	Insets...	Esc vip	2452	994	KBD_INSETPOD

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
<b>Special Menu</b>					
PageBreak	Page Break...	Esc spb, Esc opb	815	32F	KBD_PAGEBREAK
AnchoredFrame	Anchored Frame...	Esc sa	848	350	KBD_ANCHOR
Footnote	Footnote	Esc sf	849	351	KBD_FOOTNOTE
InsertRubi	Rubi	Esc sr	988	3DC	
CrossReference	Cross-Reference...	Esc sc	850	352	KBD_REFERENCE
Variable	Variables...	Esc sv	851	353	KBD_VARIABLE
Marker	Marker...	Esc sm	853	355	KBD_MARKERS
Hypertext	Hypertext...	Esc sh	857	359	KBD_HYPertext
EquationsPalette	Equations...	Esc se, Esc mw	3878	F26	KBD_MATHWIN -- equations window
Inset	Graphic Inset...	Esc sg, Esc si	852	354	KBD_INSET
AttributeCond	Filter by Attribute...	Esc ac	2388	954	KBD_ATTRCOND
ConditionalText	Conditional Text...	Esc sC	855	357	KBD_CONDTEXT
SearchAllReferences	References...		2839	B17	KBD_SEARCHREFS
HotspotsPod	Hotspots...	Esc pHS	1279	4FF	KBD_HOTSPOTSPOD -- Hotspots pod
HotspotMode	Hotspot Mode	Esc hot	1277	4FD	KBD_HOTSPOT -- HOTSPOT draw mode
ManageCond	Manage Condition	Esc mC	2386	952	KBD_MANCOND
ShowConditionIndicator	Show Condition Indicator		2387	953	KBD_CONDINDICATOR
TrackTextEnable	Enable	Esc sto	2391	957	KBD_TRACKCHANGE -- Track Changes
TrackTextDisable	Disable	Esc std	2397	95D	KBD_TRACKCHANGEDISABLE -- Track Changes
ShowNextTrackTextEdit	Show Next	Esc stn	2389	955	KBD_FINDNEXT -- Track Changes
ShowPrevTrackTextEdit	Show Previous	Esc stp	2390	956	KBD_FINDPREV -- Track Changes
AcceptTrackTextEdit	Accept Edit	Esc sta	2392	958	KBD_ACCEPTCHANGE -- Track Changes
RejectTrackTextEdit	Reject Edit	Esc str	2393	959	KBD_REJECTCHANGE -- Track Changes
AcceptTrackTextEditAndShowNext	Accept Edit and Show Next	Esc stta	2459	99B	KBD_ACCEPTCHANGEANDNEXT -- Track Changes
RejectTrackTextEditAndShowNext	Reject Edit and Show Next	Esc sttr	2460	99C	KBD_REJECTCHANGEANDNEXT -- Track Changes
AcceptAllTrackTextEdit	Accept All	Esc stA	2400	960	KBD_ACCEPTALLCHANGE -- Track Changes
RejectAllTrackTextEdit	Reject All	Esc stR	2401	961	KBD_REJECTALLCHANGE -- Track Changes
PreviewFinal	Preview Final	Esc stF	2402	962	KBD_PREVIEW_ACCEPTALL -- Track Changes
PreviewOriginal	Preview Original	Esc stO	2403	963	KBD_PREVIEW_REJECTALL -- Track Changes

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
PreviewOff	Preview Off	Esc spo	2404	964	KBD_PREVIEW_OFF -- Track Changes
ConfigureColor	Configure Color		2448	990	KBD_CONFIGURE_TC_COLOR -- Track Changes: Track Text Edit enhancement
!ShowReviewerName			2449	991	KBD_TC_USER_NAME -- Track Changes: User name get from Menu and Toolbar
ShowTCDocSeachable	Document		307	133	KBD_TC_SEARCH_DOC -- Track Changes
ShowTCBookSeachable	Book		308	134	KBD_TC_SEARCH_BOOK -- Track Changes
ShowTCDitaMapSeachable	DITA Map		309	135	KBD_TC_SEARCH_DITAMAP -- Track Changes
ShowTCSelSeachable	Selected Documents		310	136	KBD_TC_SEARCH_SEL -- Track Changes
PageAdd	Add Disconnected Pages...	Esc spa	838	346	KBD_ADDPAGE
!PageDelete	Delete Pages...	Esc spd	839	347	KBD_DELETEPAGE
TableOfContents	Table of Contents...	Esc toc	688	2B0	KBD_TOC
ListOfFigures	Figures...	Esc lof	689	2B1	KBD_LIST_FIGURE
ListOfTables	Tables...	Esc lot	690	2B2	KBD_LIST_TABLE
ListOfParagraphs	Elements & Paragraphs...	Esc lop	691	2B3	KBD_LIST_PGF
ListOfParagraphsAlphabetical	Elements & Paragraphs (Alphabetical)...	Esc loP	692	2B4	KBD_LIST_PGF_ALPHA
ListOfMarkers	Markers...	Esc lom	693	2B5	KBD_LIST_MARKER
ListOfMarkersAlphabetical	Markers (Alphabetical)...	Esc loM	694	2B6	KBD_LIST_MARKER_ALPHA
ListOfReferences	References...	Esc lor	695	2B7	KBD_LIST_REFERENCES
StandardIndex	Standard Index...	Esc ix	704	2C0	KBD_INDEX_STANDARD
IndexOfAuthors	Authors...	Esc ioa	705	2C1	KBD_INDEX_AUTHOR
IndexOfSubjects	Subjects...	Esc ios	706	2C2	KBD_INDEX_SUBJECT
IndexOfMarkers	Markers...	Esc iom	707	2C3	KBD_INDEX_MARKER
IndexOfReferences	References...	Esc ior	708	2C4	KBD_INDEX_REFERENCES

## Graphics Menu

ToolsPalette	Tools...	Esc gT, Esc 1w	3874	F22	KBD_TOOLWIN -- tools window
GraphicsGroup	Group	Esc gg	898	382	KBD_GROUP
GraphicsUngroup	Ungroup	Esc gu	899	383	KBD_UNGROUP
GraphicsBringToFront	Bring to Front	Esc gf	896	380	KBD_FRONT
GraphicsSendToBack	Send to Back	Esc gb	897	381	KBD_BACK
GraphicsAlign	Align...	Esc ga	900	384	KBD_ALIGN
GraphicsDistribute	Distribute...	Esc gd	901	385	KBD_DISTRIBUTE
GraphicsReshape	Reshape	Esc gr, Ctrl+r, Ctrl+Shift+r	886	376	KBD_RESHAPE
GraphicsSmooth	Smooth	Esc gs	884	374	KBD_SMOOTH
GraphicsUnsmooth	Unsmooth	Esc gm	885	375	KBD_UNSMOOTH

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
GraphicsFlipUpDown	Flip Up/Down	Esc gv	880	370	KBD_FLIPUD
GraphicsFlipLeftRight	Flip Left/Right	Esc gh	881	371	KBD_FLIPLR
GraphicsRotate	Rotate...	Esc gt	907	38B	KBD_ROTATE
GraphicsScale	Scale...	Esc gz	883	373	KBD_SCALE
GraphicsJoinCurves	Join	Esc gj	887	377	KBD_JOINCURVES
GraphicsSetNumSides	Set # Sides...	Esc gn	888	378	KBD_SETSIDES
GraphicsObjProps	Object Properties...	Esc go	903	387	KBD_OBJPROPS
HotspotProps	Hotspot Properties...	Esc eHS	1278	4FE	KBD_EDITHOTSPOT -- edit HOTSPOT object
DelinkHotspot	Delink Hotspot	Esc dHS	1287	507	KBD_DELINKHOTSPOT -- delink/clear HOTSPOT object
GraphicsPickObjProps	Pick up Object Properties	Esc gO	904	388	KBD_PICKOBJPROPS
GraphicsGravity	Gravity	Esc gy	891	37B	KBD_GRAVITY
GraphicsSnap	Snap	Esc gp	890	37A	KBD_SNAP
GraphicsKeepTool	Keep Tool	Esc gk	892	37C	KBD_KEEPTOOL
GraphicsSetPoster	Set Poster...	Esc gsp	987	3DB	KBD_SETPOSTER -- set the poster on inset
ActivateInPDFByDefault	Activate by default		1274	4FA	KBD_ACTIVATE_IN_PDF_BYDEFAULT
OpenGraphicInPopUpWindowInPDF	Open In Pop up Window		1275	4FB	KBD_OPEN_IN_POPUP_WIN_IN_PDF
GraphicsSetName	Set Graphic Name...		1276	4FC	KBD_GRAPHIC_SET_NAME
GraphicsRemovePoster	Set Default Poster	Esc grp	990	3DE	KBD_REMOVEPOSTER -- Remove the poster set on the inset
RunaroundProperties	Runaround Properties...	Esc gR	1639	667	KBD_RUN_PROPS
RunAroundContour	Run Around Contour	Esc gw	1640	668	KBD_RUN_CONTOUR -- Contour runaround
RunAroundBoundingBox	Run Around Bounding Box	Esc gW	1641	669	KBD_RUN_BBOX -- Bounding box runaround
GraphicsCreateLink	Create Link to Graphic...	Esc gcl	995	3E3	KBD_CREATE_MULTIMEDIA_LINK -- Create link to multimedia object
GraphicsCreateLinkTable	Create Link Table to Graphic...	Esc gct	996	3E4	KBD_CREATE_MULTIMEDIA_LINK_TBL -- Create table with links to multimedia object
RunaroundOff	Runaround Off	Esc gq	1648	670	KBD_RUN_OFF -- Turn off runarounds

## Table Menu

TableInsert	Insert Table...	Esc ti	3968	F80	KBD_TABLE_INS -- Insert Table
TableFormatDesigner	Table Designer...	Esc td, Ctrl+t, Ctrl+Shift+t	3969	F81	KBD_TABLE_FORMAT -- Table Designer
TableRowFormat	Row Format...	Esc tr	3973	F85	KBD_TABLE_ROWFMF -- Row Format
TableCustRuleAndShade	Custom Ruling & Shading...	Esc tx	3974	F86	KBD_TABLE_CUSTRS -- Custom Ruling and Shading
TableAddRowsOrColumns	Add Rows or Columns...	Esc ta	3975	F87	KBD_TABLE_ADDRC -- Add Rows or Columns

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
TableResizeColumns	Resize Columns...	Esc tz	3976	F88	KBD_TABLE_RESIZECOL -- Resize columns
TableStraddle	Straddle	Esc tl	3977	F89	KBD_TABLE_STRADDLE -- Straddle/Unstraddle
TableConvert	Convert to Table...	Esc tv	3978	F8A	KBD_TABLE_CONVERT -- Convert to Table/Paragraphs

## Help Menu

HelpHowToUse	How to Use Help...		675	2A3	KBD_HELP_OVERVIEW -- FrameMaker Overview
--------------	--------------------	--	-----	-----	--

## Book File Menu

BookOpen	Open...		769	301	KBD_OPEN
BookAddFile	Files...	Esc ff	778	30A	KBD_BOOKADDFILE -- Add file to book
BookAddFolder	Folder...	Esc baf	1537	601	KBD_BOOKADDFOLDER (see also: OBJ_SEL_NEXT)
BookAddGroup	Group...	Esc bag	1545	609	KBD_BOOKADDGROUP
BookSetupFile	Set Up Generated File...	Esc fd	779	30B	KBD_BOOKEDITDEFINE -- Set up generated file
BookNumbering	Numbering...	Esc en	819	333	KBD_NUMBERING -- Doc Numbering
BookRenameFile	Rename	Esc fe	780	30C	KBD_BOOKRENAMEFILE
DeleteComponent	Delete	Esc fx	783	30F	KBD_DELETE_FILE
ComponentProperties	Properties	Esc bcp	1006	3EE	KBD_COMPONENT_PROPERTIES
ExcludeBookComponent	Exclude	Esc be	1248	4E0	KBD_BOOKCOMP_EXCLUDE
MoveComponentUp	Move Up	Esc mu	1802	70A	KBD_MOVE_UP
MoveComponentDown	Move Down	Esc md	1803	70B	KBD_MOVE_DOWN
MoveComponentLeft	Move Left	Esc bl	1804	70C	KBD_MOVE_LEFT
MoveComponentRight	Move Right	Esc br	1805	70D	KBD_MOVE_RIGHT
BookMoveFileUp	Move Up	Esc bu	1000	3E8	KBD_BOOKMOVEFILEUP
BookMoveFileDown	Move Down	Esc bd	1001	3E9	KBD_BOOKMOVEFILEDOWN
BookCompare	Compare Books...	Esc fb	799	31F	KBD_COMPARE -- Compare docs or books

## Book View Menu

ViewBookFileNames	FileNames	Esc VM	1543	607	KBD_BOOKCOMP_FILENAME
ViewBookText	Text	Esc VX	1544	608	KBD_BOOKCOMP_TEXT

## Ditamap File Menu

DitamapOpen	Open...		769	301	KBD_OPEN
-------------	---------	--	-----	-----	----------

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
--------------	---------------	----------	--------	--------	------------------------------

## Viewer Popup

GotoNextPage	Next Page	Esc pn	845	34D	KBD_NEXTPAGE
GotoPreviousPage	Previous Page	Esc pp	844	34C	KBD_PREVPAGE
GotoFirstPage	First Page	Esc pf, Alt+PgUp	832	340	KBD_FIRSTPAGE
GotoLastPage	Last Page	Esc pl, Alt+PgDn	833	341	KBD_LASTPAGE
GotoPreviousScreen	Previous Screen	Esc vsp, PgUp	3392	D40	KBD_WINDOWFULL_UP -- Scroll prev screen
GotoNextScreen	Next Screen	Esc vsn, PgDn	3393	D41	KBD_WINDOWFULL_DOWN -- Scroll next screen
ViewerFind	Find...		809	329	KBD_SEARCH

## Window Popup

!WindowClose	Close	Esc wc	912	390	KBD_CLOSEWIN
!WindowOpen	Open	Esc wo	913	391	KBD_OPENWIN
WindowToggleCloseOpen	Close/Open		914	392	KBD_CLOPWIN -- Close/Open Window
WindowMove	Move	Esc wm	915	393	KBD_MOVEWIN
WindowExpose	Expose	Esc we	917	395	KBD_EXPOSEWIN
WindowHide	Hide	Esc wh	918	396	KBD_HIDEWIN
WindowHideShowToggle	Hide/Show		919	397	KBD_HISHWIN -- Hide/show toggle
WindowRedisplay	Refresh	Esc wr, Ctrl+l	920	398	KBD_REFRESHWIN

## Fluid view commands

### Find and Replace Commands

FindPrevious	Find Previous	Esc fip, Alt+Ctrl+f, Alt+Ctrl+r, Shift+F3	560	230	KBD_FPREF -- Search backward
FindNext	Find Next	Esc eF, Esc fin, F3, Ctrl+Shift+f, Alt+Ctrl+s	561	231	KBD_FNEXT -- Search forward
ReplaceOnce	Replace	Esc ro	562	232	KBD_RONCE -- Change
ReplaceAll	Replace All	Esc rg	563	233	KBD_RGLOBAL -- Change all
ReplaceAndFindAgain	Replace and Find Again	Esc ra	564	234	KBD_RANDF -- Replace and find again
FindSetFindString	Set Find String	Esc fis	565	235	KBD_SETSEARCH -- Display Set Search dialog

### Alignment Commands

AlignTop	Top Align	Esc jt, Ctrl+F1	656	290	KBD_ALIGN_TOP -- Top align
----------	-----------	-----------------	-----	-----	----------------------------

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
AlignMiddle	Middle Align	Esc jm, Ctrl+F2	657	291	KBD_ALIGN_MIDDLE -- Top/bottom (middle) align
AlignBottom	Bottom Align	Esc jb, Ctrl+F3	658	292	KBD_ALIGN_BOTTOM -- Bottom align

## Character Format

CharacterKerned	Pair Kern	Esc ck	624	270	TXT_KERN -- Set chars to kerned
CharacterTsume	Tsume	Esc ct	677	2A5	TXT_TSUME -- Set chars to tsume
CharacterNumericUnderline	Numeric Underline	Esc c2	633	279	TXT_NUMUNDERLINE -- Set chars to numeric underline
CharacterNormal	Set Characters To Normal	Esc c=	614	266	TXT_NORMAL -- Set chars to normal
IncrementTextOnePt	Increment Text Size 1 pt	Esc +s, Esc c]	615	267	TXT_INCFSIZE -- Increment text size
DecrementTextOnePt	Decrement Text Size 1 pt	Esc -s, Esc c[	616	268	TXT_DECFSIZE -- Decrement text size
CharacterSqueezeSpace	Squeeze Spacing 20% of em	Esc [D	617	269	TXT_SQUEEZE -- Squeeze spacing 20% of an em
CharacterSpreadSpace	Spread Spacing 20% of em	Esc [C	618	26A	TXT_SPREAD -- Spread spacing 20% of an em
CharacterNoStretch	Set Stretch to 100%	Esc [n	304	130	TXT_NOSTRETCH -- Set textstretch to 100%
CharacterLessStretch	Condense Stretch by 5%pts	Esc [c	305	131	TXT_LESSTRETCH -- Condense textstretch by 5 %pts
CharacterMoreStretch	Expand Stretch by 5%pts	Esc [e	306	132	TXT_MORESTRETCH -- Extend textstretch by 5 %pts
CharacterRepeatLast	Repeat Last Font Command	Esc cc	619	26B	TXT_BAM -- Set to font dialog values, no dialog

## Deletion

DeleteBack1Char	Delete Text	Ctrl+BkSp	274	112	DEL_CHARBWD -- Delete backward one character (gobbled)
DeleteBackToPrevWordStart	Delete Back To Prev Word Start	Esc kb	352	160	DEL_WORD_START -- Delete backward to previous word start (gobbled)
DeleteBackToPrevWordEnd	Delete Back To Prev Word End	Ctrl+BkSp	276	114	DEL_BOW -- Delete backward to previous word end (gobbled)
DeleteBackToStartOfLine	Delete Back To Start Of Line		281	119	DEL_BOL -- Delete backward to start of line (gobbled)
DeleteBackToPrevSentenceEnd	Delete Back To Prev Sentence End	Esc ka	355	163	DEL_BOS -- Delete backward to previous sentence end (gobbled)
DeleteForw1Char	Delete Text	Delete	275	113	DEL_CHARFWD -- Delete forward one character (gobbled)
DeleteForwToNextWordStart	Delete Forward To Next Word Start		277	115	DEL_EOW -- Delete forward to next word start (gobbled)

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
DeleteForwToNextWordEnd	Delete Forward To Next Word End	Esc kf, Ctrl+Delete	353	161	DEL_WORD_END -- Delete forward to next word end (gobbled)
DeleteForwToEndOfLine	Delete Forward To End Of Line	Ctrl+Shift+Delete	278	116	DEL_EOL -- Delete forward to end of line (gobbled)
DeleteForwToNextSentenceEnd	Delete Forward To Next Sentence End		279	117	DEL_EOS -- Delete forward to next sentence end (gobbled)
DeleteForwToNextSentenceStart	Delete Forward To Next Sentence Start	Esc ks	354	162	DEL_NEXT_SS -- Delete forward to next sentence start (gobbled)
DeleteWholeLine	Delete Whole Line		278	116	DEL_EOL -- Delete forward to end of line (gobbled)

## Diacritics

Acutea		Esc 'a, Ctrl+q Ctrl+g	135	87	
Acutee		Esc 'e, Ctrl+q Ctrl+n	142	8E	
Acutei		Esc 'i, Ctrl+q Ctrl+r	146	92	
Acuteo		Esc 'o, Ctrl+q Ctrl+w	151	97	
Acuteu		Esc 'u, Ctrl+q Ctrl+8	156	9C	
AcuteA		Esc 'A, Ctrl+q g	231	E7	
AcuteE		Esc 'E, Ctrl+q Ctrl+c	131	83	
Acutel		Esc 'l, Ctrl+q j	234	EA	
AcuteO		Esc 'O, Ctrl+q n	238	EE	
AcuteU		Esc 'U, Ctrl+q r	242	F2	
Tildea		Esc ~a, Ctrl+q Ctrl+k	139	8B	
Tilden		Esc ~n, Ctrl+q Ctrl+v	150	96	
Tildeo		Esc ~o, Ctrl+q Ctrl+7	155	9B	
TildeA		Esc ~A, Ctrl+q L	204	CC	
TildeN		Esc ~N, Ctrl+q Ctrl+d	132	84	
TildeO		Esc ~O, Ctrl+q M	205	CD	
Gravea		Esc `a, Ctrl+q Ctrl+BkSp	136	88	
Gravee		Esc `e, Ctrl+q Ctrl+o	143	8F	
Gravei		Esc `i, Ctrl+q Ctrl+s	147	93	
Graveo		Esc `o, Ctrl+q Ctrl+x	152	98	
Graveu		Esc `u, Ctrl+q Ctrl+9	157	9D	
GraveA		Esc `A, Ctrl+q K	203	CB	
GraveE		Esc `E, Ctrl+q i	233	E9	
Gravel		Esc `l, Ctrl+q m	237	ED	
GraveO		Esc `O, Ctrl+q q	241	F1	
GraveU		Esc `U, Ctrl+q t	244	F4	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
Diaeresisa		Esc :a, Esc %a, Ctrl+q Ctrl+j	138	8A	
Diaeresise		Esc :e, Esc %e, Ctrl+q Ctrl+q	145	91	
Diaeresisi		Esc :i, Esc %i, Ctrl+q Ctrl+u	149	95	
Diaeresiso		Esc :o, Esc %o, Ctrl+q Ctrl+z	154	9A	
Diaeresisu		Esc :u, Esc %u, Ctrl+q Ctrl+1	159	9F	
Diaeresisy		Esc :y, Esc %y, Ctrl+q X	216	D8	
DiaeresisA		Esc :A, Esc %A, Ctrl+q Ctrl+2, Ctrl+q Ctrl+Space	128	80	
DiaeresisE		Esc :E, Esc %E, Ctrl+q h	232	E8	
Diaeresisl		Esc :l, Esc %l, Ctrl+q l	236	EC	
DiaeresisO		Esc :O, Esc %O, Ctrl+q Ctrl+e	133	85	
DiaeresisU		Esc :U, Esc %U, Ctrl+q Ctrl+f	134	86	
DiaeresisY		Esc :Y, Esc %Y, Ctrl+q Y	217	D9	
Circuma		Esc ^a, Ctrl+q Ctrl+Tab	137	89	
Circume		Esc ^e, Ctrl+q Ctrl+p	144	90	
Circumi		Esc ^i, Ctrl+q Ctrl+t	148	94	
Circumo		Esc ^o, Ctrl+q Ctrl+y	153	99	
Circumu		Esc ^u, Ctrl+q Ctrl+0	158	9E	
CircumA		Esc ^A, Ctrl+q e	229	E5	
CircumE		Esc ^E, Ctrl+q f	230	E6	
Circuml		Esc ^l, Ctrl+q k	235	EB	
CircumO		Esc ^O, Ctrl+q o	239	EF	
CircumU		Esc ^U, Ctrl+q s	243	F3	
Ringa		Esc *a, Ctrl+q Ctrl+l	140	8C	
RingA		Esc *A, Ctrl+q Ctrl+a	129	81	
Cedillac		Esc ,c, Ctrl+q Ctrl+Return	141	8D	
CedillaC		Esc ,C, Ctrl+q Ctrl+b	130	82	
SuperScript1			49	31	
SuperScript2			50	32	
SuperScript3			51	33	
CharBrokenBar			124	7C	
CharDagger		Ctrl+q Space	160	A0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
CharUpsilon1		Ctrl+q !	161	A1	
CharCent	Cent	Ctrl+q "	162	A2	
CharPound	Pound	Ctrl+q #	163	A3	
CharPilcrow		Ctrl+q \$	164	A4	
CharParagraph		Ctrl+q &	166	A6	
CharGermanDoubleS		Ctrl+q ', ???	167	A7	
CharRegister	Register	Ctrl+q (	168	A8	
CharCopyright	Copyright	Ctrl+q )	169	A9	
CharTrademark	Trademark	Ctrl+q *	170	AA	
CharAcute		Ctrl+q +	171	AB	
CharDiaeresis		Ctrl+q	172	AC	
CharArrowUp		Ctrl+q -	173	AD	
DiphthongAE		Ctrl+q .	174	AE	
ObliqueO		Ctrl+q /	175	AF	
CharDegree	Degree	Ctrl+q 0	176	B0	
CharPlusMinus	Plus/Minus	Ctrl+q 1	177	B1	
CharSecond		Ctrl+q 2	178	B2	
CharGreaterEqual	Greater/Equal	Ctrl+q 3	179	B3	
CharYen	Yen	Ctrl+q 4	180	B4	
CharProportional		Ctrl+q 5	181	B5	
CharPartialDiff		Ctrl+q 6	182	B6	
CharBigBullet		Ctrl+q 7	183	B7	
CharDivision		Ctrl+q 8	184	B8	
CharNotEqual	Not Equal	Ctrl+q 9	185	B9	
CharEquivalent		Ctrl+q :	186	BA	
CharOrdFeminine		Ctrl+q ;	187	BB	
CharOrdMasculine		Ctrl+q <	188	BC	
CharVertBar		Ctrl+q =	189	BD	
Diphthongae		Ctrl+q >	190	BE	
Obliqueo		Ctrl+q ?	191	BF	
CharInvQuestion		Ctrl+q @	192	C0	
CharInvExclamation		Ctrl+q A	193	C1	
CharNot		Ctrl+q B	194	C2	
CharWeierstrass		Ctrl+q C	195	C3	
CharFlorin		Ctrl+q D	196	C4	
CharCirclePlus		Ctrl+q E	197	C5	
CharEmptySet		Ctrl+q F	198	C6	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
CharLeftGuillemot		Ctrl+q G	199	C7	
CharRightGuillemot		Ctrl+q H	200	C8	
CharEllipsis	Ellipsis	Ctrl+q I	201	C9	
CharReflexSuperset		Ctrl+q J	202	CA	
DiphthongOE		Ctrl+q N	206	CE	
Diphthongoe		Ctrl+q O	207	CF	
CharEndash	En Dash	Ctrl+q P	208	D0	
CharEmdash	Em Dash	Ctrl+q Q	209	D1	
CharLeftQuote		Ctrl+q T, `	212	D4	
CharRightQuote		Ctrl+q U, ???	213	D5	
CharRadical		Ctrl+q V	214	D6	
CharDotProduct		Ctrl+q W	215	D7	
CharFraction		Ctrl+q Z	218	DA	
CharCurrency		Ctrl+q [	219	DB	
CharLeftAngleQuote		Ctrl+q \	220	DC	
CharRightAngleQuote		Ctrl+q ]	221	DD	
CharKernfi		Ctrl+q ^	222	DE	
CharKernfl		Ctrl+q _	223	DF	
CharDoubleDagger	Double Dagger	Ctrl+q `	224	E0	
CharPeriodCentered		Ctrl+q a	225	E1	
CharBaseQuote		Ctrl+q b	226	E2	
CharDblBaseQuote		Ctrl+q c	227	E3	
CharPerThousand		Ctrl+q d	228	E4	
Charidotless		Ctrl+q u	245	F5	
CharCircumflex		Ctrl+q v	246	F6	
CharTilde		Ctrl+q w	247	F7	
CharMacron		Ctrl+q x	248	F8	
CharBreve		Ctrl+q y	249	F9	
CharDotAbove		Ctrl+q z	250	FA	
CharRingAbove		Ctrl+q {	251	FB	
CharCedilla		Ctrl+q	252	FC	
CharDoubleAcute		Ctrl+q }	253	FD	
CharOgonek		Ctrl+q ~	254	FE	
CharMu			109	6D	

## more edit commands

Capitalization	Capitalization	Esc eC	811	32B	KBD_CAPITAL
----------------	----------------	--------	-----	-----	-------------

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
UpperCaseText	Uppercase Selected Text	Alt+Ctrl+u, Alt+Ctrl+U	826	33A	KBD_ALLCAP -- convert selected text to cap
LowerCaseText	Lowercase Selected Text	Alt+Ctrl+l, Alt+Ctrl+L	827	33B	KBD_ALLLOWER -- convert selected text to lower case
InitialCapsText	Initial Caps On Selected Text	Alt+Ctrl+c, Alt+Ctrl+C	828	33C	KBD_INITCAP -- convert selected text to initial caps

## Fill Pattern

SetFirstFillPattern	Set To First Fill Pattern (black)	Esc 0f	948	3B4	KBD_FILL0 -- Set to "first" fill pattern
SetLastFillPattern	Set To Last Fill Pattern (none)	Esc 9f	949	3B5	KBD_FILL1 -- Set to last fill pattern
IncrementFillPattern	Increment Fill Pattern	Esc +f	950	3B6	KBD_INCFILL -- Increment fill pattern
DecrementFillPattern	Decrement Fill Pattern	Esc -f	951	3B7	KBD_DECFILL -- Decrement fill pattern

## Graphics

RotateCounterclock90	Rotate 90 Degrees Counterclockwise	Esc g-	882	372	KBD_ROT_PLUS (see also: KBD_ROTATE_CCW) -- rotate 90 counterclockwise
RotateClockwise90	Rotate 90 Degrees Clockwise	Esc g+	902	386	KBD_ROT_MINUS (see also: KBD_ROTATE_CW) -- rotate 90 clockwise
RotateAgain	Rotate Again	Esc gx	908	38C	KBD_ROTATE_AGAIN
RotateToNatural	Rotate To Natural Orientation	Esc g0	909	38D	KBD_ROTATE_NATURAL
RotateToPrevious	Rotate To Previous Orientation	Esc g1	910	38E	KBD_REROTATE
ResetNatural	Reset Natural Orientation	Esc g9	911	38F	KBD_ROTATE_RESET0
AtomizeInset	Atomize Inset	Esc gU	4010	FAA	KBD_ATOMIZE_INSET -- Ungroup FmVect import
SwapRedBlue	Exchange Red And Blue	Esc rxb	4011	FAB	KBD_SWAP_RED_BLUE -- Swap red and blue for 24-bit frameimage
RewrapInlineMath	ReShrinkwrap All Inline Math	Esc rwm	4012	FAC	KBD_REWRAP_INLINE_MATH -- Shrink-wrap all inline math

## Highlighting

SelectCharacter	Select Character	Esc hc	576	240	HIGH_CHAR -- Highlight next character
SelectWord	Select Word	Esc hw	577	241	HIGH_WORD -- Highlight next word
SelectLine	Select Line	Esc hl	578	242	HIGH_LINE -- Highlight next line
SelectSentence	Select Sentence	Esc hs	579	243	HIGH_SENT -- Highlight next sentence
SelectParagraph	Select Paragraph	Esc hp	580	244	HIGH_PGF -- Highlight next paragraph
SelectShiftLeft	Shift Selection Left	Esc hb	581	245	HIGH_SHL -- Shift highlighting left 1 char
SelectShiftRight	Shift Selection Right	Esc hf	582	246	HIGH_SHR -- Shift highlighting right 1 char
Unhighlight	UnHighlight	Esc h0	583	247	HIGH_CLEAR -- Clear Selection

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
SelectPreviousCharacter	Select Previous Character	Esc HC, Shift+Left	1040	410	HIGH_CHAR_PREV -- Move active end of selection back 1 char
SelectPreviousWord	Move Active Edge Back One Word	Esc HW, Ctrl+Shift+Left	1041	411	HIGH_WORD_PREV -- Move active end back 1 word
SelectPreviousLine	Select Previous Line	Esc HL	1042	412	HIGH_LINE_PREV -- Move active end back 1 line (select a whole line)
SelectPreviousSentence	Select Previous Sentence	Esc HS, Alt+Shift+Home, Ctrl+Shift+Home	1043	413	HIGH_SENT_PREV -- Move active end back 1 sentence
SelectPreviousParagraph	Select Previous Paragraph	Esc HP, Ctrl+Shift+Up	1044	414	HIGH_PGF_PREV -- Move active end back 1 paragraph
ExtendOneLineUp	Extend One Line Up	Esc hu, Shift+Up	1045	415	HIGH_LINE_UP -- Extend one line up
ExtendOneLineDown	Extend One Line Down	Esc hd, Shift+Down	1046	416	HIGH_LINE_DOWN -- Extend one line down
ExtendToTopOfColumn	Extend To Top Of Column	Esc ht, Shift+PgUp	1047	417	HIGH_COL_TOP -- Extend to top of column
ExtendToBottomOfColumn	Extend To Bottom Of Column	Esc hm, Shift+PgDn	1048	418	HIGH_COL_BOT -- Extend to bottom of column
ExtendToStartOfFlow	Extend To Start Of Flow	Esc hg, Ctrl+Shift+PgUp	1049	419	HIGH_FLOW_BEG -- Extend to beginning of flow
ExtendToEndOfFlow	Extend To End Of Flow	Esc hn, Ctrl+Shift+PgDn	1050	41A	HIGH_FLOW_END -- Extend to end of flow
SelectLineToBegin	Select Line To Beginning	Shift+Home	1051	41B	HIGH_LINE_BEG -- Select line to the beginning
SelectLineToEnd	Select Line To End	Shift+End	1052	41C	HIGH_LINE_END -- Select line to the end
SelectNextCharacter	Select Next Character	Esc Hc, Shift+Right	1296	510	HIGH_CHAR_NEXT -- Move active end of selection fwd 1 char
SelectNextWord	Move Active Edge Ahead One Word	Esc Hw, Ctrl+Shift+Right	1297	511	HIGH_WORD_NEXT -- Move active end forward 1 word
SelectNextLine	Select Next Line	Esc HI	1298	512	HIGH_LINE_NEXT -- Move active end forward 1 line (select a whole line)
SelectNextSentence	Select Next Sentence	Esc Hs, Alt+Shift+End, Ctrl+Shift+End	1299	513	HIGH_SENT_NEXT -- Move active end forward 1 sentence
SelectNextParagraph	Select Next Paragraph	Esc Hp, Ctrl+Shift+Down	1300	514	HIGH_PGF_NEXT -- Move active end forward 1 paragraph
SelectSameCharFormat	Select Same Character Format	Esc hF	1301	515	HIGH_SAMECEB -- Select text with the same char fmt
SelectSameCondTags	Select Same Condition Tags	Esc hC	1302	516	HIGH_SAMECOND -- Select text with the same conditions

## Object Selection

SelectFirstObject	Select First Object	Esc oF	1536	600	OBJ_SEL_FIRST -- Select first object on cur page
-------------------	---------------------	--------	------	-----	--

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
SelectNextObject	Select Next Object	Esc on	1537	601	KBD_BOOKADDFOLDER (see also: OBJ_SEL_NEXT)
ExtendObjectSelection	Extend To Next Object	Esc oe	1538	602	OBJ_SEL_EXTEND_NEXT -- Extend object selection to next object on current page

## Insertion Point

IPTopOfColumn	Move IP To Top Of Column	Ctrl+PgUp	256	100	CSR_HOME -- Top of column (gobbled)
IUpOneLine	Move IP Up One Line	Up	257	101	CSR_UP -- (gobbled)
IPDownOneLine	Move IP Down One Line	Down	258	102	CSR_DOWN -- (gobbled)
IPRightOneCharacter	Move IP Right	Right	259	103	CSR_RIGHT -- (gobbled)
IPLeftOneCharacter	Move IP Left	Left	260	104	CSR_LEFT -- (gobbled)
IPBottomOfColumn	Move IP To Bottom Of Column	Ctrl+PgDn	270	10E	CSR_BOTR -- Bottom of column (gobbled)
IPStartOfFlow	Move IP To Start Of Flow	Alt+Shift+PgUp	271	10F	CSR_TOP -- Beginning of flow (gobbled)
IPEndOfFlow	Move IP To End Of Flow	Alt+Shift+PgDn	272	110	CSR_BOT -- End of flow (gobbled)
IPToNextWordStart	Move IP To Next Word	Esc bw	320	140	CSR_NEXT_BOW -- Next word start (gobbled)
IPToNextWordEnd	Move IP To End of Word	Ctrl+Right	264	108	CSR_EOW -- Next word end (gobbled)
IPToNextSentenceStart	Move IP To Next Sentence	Esc bs	321	141	CSR_NEXT_BOS -- Next sentence start (gobbled)
IPToNextSentenceEnd	Move IP To End of Sentence	Ctrl+End	266	10A	CSR_EOS -- Next sentence end (gobbled)
IPToNextParaStart	Move IP To Next Paragraph	Esc bp	322	142	CSR_NEXT_BOP -- Next paragraph start (gobbled)
IPToNextParaEnd	Move IP To End of Paragraph	Ctrl+Down	268	10C	CSR_EOP -- Next paragraph end (gobbled)
IPToFirstTextCol	Move IP To First Text Column	Esc bf	323	143	CSR_FIRST_COL -- First text column on current page (gobbled)
IPToNextTextCol	Move IP To Next Text Column	Esc bn	324	144	CSR_NEXT_COL -- Next text column on current page (gobbled)
IPStartOfWord	Move IP To Start of Word	Ctrl+Left	263	107	CSR_BOW -- Previous word start (gobbled)
IPStartOfLine	Move IP To Start of Line	Home	261	105	CSR_BOL -- Beginning of line (gobbled)
IPEndOfLine	Move IP To End of Line	End	262	106	CSR_EOL -- End of line (gobbled)
IPStartOfSentence	Move IP To Start of Sentence	Ctrl+Home	265	109	CSR_BOS -- Previous sentence start (gobbled)
IPToPrevParaStart	Move IP To Previous Paragraph	Ctrl+Up	267	10B	CSR_BOP -- Previous paragraph start (gobbled)

## Kerning

Move1PtUp	Move 1 Point Up	Alt+Up	282	11A	KBD_KERNUP -- Move 1 point up (gobbled)
Move1PtDown	Move 1 Point Down	Alt+Down	283	11B	KBD_KERNDOWN -- Move 1 point down (gobbled)

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
Move1PtLeft	Move 1 Point Left	Alt+Left	284	11C	KBD_KERNLEFT -- Move 1 point left (gobbled)
Move1PtRight	Move 1 Point Right	Alt+Right	285	11D	KBD_KERNRIGHT -- Move 1 point right (gobbled)
Move6PtUp	Move 6 Points Up	Alt+Shift+Up	289	121	KBD_KERNUP6 -- Move 6 point up (gobbled)
Move6PtDown	Move 6 Points Down	Alt+Shift+Down	290	122	KBD_KERNDOWN6 -- Move 6 point down (gobbled)
Move6PtLeft	Move 6 Points Left	Alt+Shift+Left	291	123	KBD_KERNLEFT6 -- Move 6 point left (gobbled)
Move6PtRight	Move 6 Points Right	Alt+Shift+Right	292	124	KBD_KERNRIGHT6 -- Move 6 point right (gobbled)
RemoveAllKerning	Remove All Kerning	Alt+Home	286	11E	KBD_KERNHOME -- Move back to baseline (gobbled)

## Line Width

SetThinLineWidth	Set To Thinnest Line Width	Esc 0w	940	3AC	KBD_WIDTH0 -- Set to thinnest width
SetThickLineWidth	Set To Thickest Line Width	Esc 9w	941	3AD	KBD_WIDTH1 -- Set to thickest width
IncrementLineWidth	Increment Line Width	Esc +w	942	3AE	KBD_INCWIDTH -- Increment line width
DecrementLineWidth	Decrement Line Width	Esc -w	943	3AF	KBD_DECWIDTH -- Decrement line width

## Miscellaneous

ContextMenu	Context Menu	Shift+F10, Ctrl+Shift+F10	925	39D	KBD_POPUP_MENU -- Bring up the Popup Menu (ala right button), in X-Motif port
Tab	Tab	Tab	537	219	KBD_TAB -- Tab, just normal tab
BackTab	Back Tab	Shift+Tab	544	220	KBD_BACKTAB -- Tab backwards in a dialog
FirstTab	First Tab	Ctrl+Shift+Tab	546	222	KBD_FIRSTTAB -- First tab (as in dialogs), First text column flow in doc
SetDialogItemsNoChange	Set Dialog Items To No Change		3914	F4A	KBD_NOCHANGEDB -- Set all items to As Is in dialog
ResetDialog	Reset Dialog		3915	F4B	KBD_RESETDB -- Reset dialog
OpenLine	Open Line		10	0A	
TransposeChars	Transpose Characters	Ctrl+F9	548	224	KBD_XCHARS -- transpose characters (eXchange)
CharShiftSpace	Shift Space	Shift+Space	545	221	KBD_SHFTSPACE -- Shift Space
CharNumberSpace	Number Space	Esc Space 1	554	22A	KBD_NUMSPACE -- number space
CharThinSpace	Thin Space	Esc Space t	555	22B	KBD_THINSPACE -- thin space = 1/12 em
CharEmSpace	Em Space	Esc Space m, Ctrl+Shift+Space	556	22C	KBD_EMSPACE -- em space = 1 em

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
CharEnSpace	En Space	Esc Space n, Alt+Ctrl+Space	557	22D	KBD_ENSPACE -- en space = 1/2 em
CharNonBreakHyphen	Non Breaking Hyphen	Esc -h	551	227	KBD_HARDHYPHEN -- nonbreaking hyphen
CharDiscretionaryHyphen	Discretionary Hyphen	Esc -D, Ctrl+-	549	225	KBD_SOFTHYPHEN -- discretionary hyphen
NoHyphenWord	No Hyphenation In Word	Esc ns	550	226	KBD_DONTHYPHEN -- suppress hyphenation
CharHardReturn	Hard Return	Shift+Return	553	229	KBD_HARDRETURN -- Hard return
Return	Return	Return	559	22F	KBD_RETURN -- normal return
Abort	Cancel		592	250	KBD_ABORT -- Abort a long process like import
CharLeftDblQuote	Left Double Quote	Alt+Ctrl+`, Ctrl+q R	210	D2	
CharRightDblQuote	Right Double Quote	Alt+Ctrl+', Ctrl+q S	211	D3	
SmartSingleQuote	Smart Single Quote	'	1024	400	KBD_SINGLE_QUOTE
SmartDoubleQuote	Smart Double Quote	"	1025	401	KBD_DOUBLE_QUOTE
CharBullet	Bullet Character	Ctrl+q %	165	A5	
CharHardSpace	Hard Space	Esc Space h, Ctrl+Space	552	228	KBD_HARDSPACE -- hard space (not word delimiter)
CharASCIIApostrophe	ASCII Apostrophe	Ctrl+'	39	27	
CharASCIILeftQuote	ASCII Left Quote	Ctrl+`, Ctrl+q Ctrl+'	96	60	
CharStraightQuote	Straight Quote	Esc "	34	22	
ToggleSaveAsTextMode	Toggle Save As Text Mode	Esc Ftc	3843	F03	KBD_SAVEMETA -- Toggle mode so Save Text saves meta Chars
NumLock	NumLock		368	170	KBD_NUMLOCK -- change keypad between function pad and keypad. (gobbled)
ReportCmds_byTag	Report Commands by Tag	Esc SCR1	3328	D00	FM_RPT_CMDS_BY_TAG
ReportCmds_byShortcut	Report Commands by Shortcuts	Esc SCR2	3329	D01	FM_RPT_CMDS_BY_SHORTCUT

## Page Commands

RenamePage	Rename Master/Ref Page...	Esc pN	3898	F3A	KBD_RENAMEPAGE -- rename master/reference page
------------	---------------------------	--------	------	-----	--

## Paragraph Format

ParaQuickKey	Quick Paragraph	Esc qp, F9, Ctrl+9	3905	F41	KBD_PGFQUICK -- Pgf fmt quick key
IncLineLeading1pt	Increment Line Leading 1 pt	Esc j+, Esc +1	640	280	PGF_INCLINE -- Increment line spacing
DeclLineLeading1pt	Decrement Line Leading 1 pt	Esc j-, Esc -1	641	281	PGF_DECLINE -- Decrement line spacing
CenterPara	Center	Esc jc	642	282	PGF_CENTER -- Center paragraph
LeftPara	Left	Esc jl	643	283	PGF_LEFT -- Left justify paragraph
RightPara	Right	Esc jr	644	284	PGF_RIGHT -- Right justify paragraph

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
FullyJustifyPara	Justify	Esc jf	645	285	PGF_FULL -- Full justify paragraph
SingleSpaceParas	Single	Esc j1	659	293	PGF_SINGLE_SPACE -- Single space paragraphs
OneAndHalfSpaceParas	1.5	Esc j/	660	294	PGF_ONEANDHALF_SPACE -- 1 1/2 space paragraphs
DoubleSpaceParas	Double	Esc j2	661	295	PGF_DOUBLE_SPACE -- Double space paragraphs
SpaceBetweenParas	Space Between...	Esc jw	662	296	PGF_SPACE_BETWEEN -- Space Between dialog
CustomLineSpacingParas	Custom...	Esc ju	663	297	PGF_LINE_SPACE -- Line Space dialog
SetLineSpaceFixed	Set Line Spacing Fixed	Esc jx	647	287	PGF_LINEFIX -- Fixed line spacing
SetLineSpaceFloating	Set Line Spacing Floating	Esc jo	648	288	PGF_LINEFLOAT -- Floating line spacing
UnifyParas	Unify Paragraphs	Esc jU	649	289	PGF_UNIFY -- Make all pgfs with current
RepeatLastParaCommand	Repeat Last Paragraph Command	Esc jj	646	286	PGF_BAM -- Set to pgf dialog values, no dialog
HyphenationOn	Hyphenation On	Esc jh	638	27E	PGF_HYPHENON -- Turn hyphenation on
HyphenationOff	Hyphenation Off	Esc jn	639	27F	PGF_HYPHENOFF -- Turn hyphenation off
ParaTopOfPage	Start Para At Top Of Page	Esc jP	650	28A	PGF_PAGETOP -- Start at top of page
ParaTopOfColumn	Start Para At Top Of Column	Esc jC	651	28B	PGF_COLTOP -- Start at top of column
ParaTopOfLeftPage	Start Para At Top Of Left Page	Esc jL	652	28C	PGF_LEFTTOP -- Start at top of left page
ParaTopOfRightPage	Start Para At Top Of Right Page	Esc jR	653	28D	PGF_RIGHTTOP -- Start at top of right page
ParaAnywhere	Start Para Anywhere	Esc jA	654	28E	PGF_ANYPLACE -- Start anywhere
ParaPlacementNormal	Set Para Placement Normal	Esc jpn	4041	FC9	PGF_KBD_SIDEBODY -- Pgf placement normal
ParaPlacementRunIn	Set Para Placement Run-in	Esc jpr	4045	FCD	PGF_KBD_RUN_IN -- Pgf placement run-in
ParaPlacementSidehead	Set Para Placement Sidehead	Esc jps	4044	FCC	PGF_KBD_SIDEHEAD_TOP -- Align Tops
ToggleSideheadsOnOff	Toggle Room For Side Heads On/Off	Esc jpS	825	339	KBD_TEXTCOLPRO -- Toggle Sideheads On/Off
ParaPlacementFullStraddle	Set Para Placement Full Straddle	Esc jpT	4046	FCE	PGF_KBD_FULLSTRADDLE -- Pgf placement full straddle
ParaPlacementBodyStraddle	Set Para Placement Body Straddle	Esc jpt	4047	FCF	PGF_KBD_BODYSTRADDLE -- Pgf placement body straddle
ParaNewFormat	New Format...	Esc opn	665	299	PGF_NEW_FORMAT -- New Pgf Format dialog
ParaUpdateFormat	Update All...	Esc opu	664	298	PGF_UPDATE_ALL -- Update Pgf Format dialog

## Pen Pattern

SetFirstPenPattern	Set First Pen Pattern (black)	Esc Op	944	3B0	KBD_PEN0 -- Set to "first" pen pat
--------------------	-------------------------------	--------	-----	-----	------------------------------------

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
SetLastPenPattern	Set Last Pen Pattern (none)	Esc 9p	945	3B1	KBD_PEN1 -- Set to last pen pattern
IncrementPenPattern	Increment Pen Pattern	Esc +p	946	3B2	KBD_INCPEN -- Increment pen pattern
DecrementPenPattern	Decrement Pen Pattern	Esc -p	947	3B3	KBD_DECPEN -- Decrement pen pattern
<b>Special Stuff</b>					
QuickVariables	Quick Variable	Esc qv, Ctrl+0	3906	F42	KBD_VARQUICK -- Variable quick key
QuickConditionIn	Quick Conditional Text In	Esc qC, Ctrl+4	3908	F44	KBD_CONDINQUICK -- Conditional text "In" quick key
QuickConditionalNotIn	Quick Conditional Text NotIn	Esc qD, Ctrl+5	3909	F45	KBD_CONDNOTINQUICK -- Conditional text "NotIn" quick key
QuickConditionalUn	Quick Conditional Text Unconditional	Esc qU, Ctrl+6	3910	F46	KBD_UNCOND -- Conditional Text "Unconditional" key
ShowOneCondTextTag	Show One Conditional Text Tag	Esc qS	3911	F47	KBD_CONDVISONLYQUICK -- Show One Conditional Text Tag
InsertNewMarker	Insert New Marker	Esc mk	854	356	KBD_NEWMARKER -- Insert new marker
InsertNewHypertext	Insert New Hypertext	Esc mh	862	35E	KBD_NEWHYPERTEXT -- Insert new hypertext
<b>Spelling</b>					
CheckWord	Spellcheck Current Selection	Esc ls	960	3C0	KBD_CHECKSEL -- check selection
CheckDocument	Spellcheck Document	Esc le	961	3C1	KBD_CHECKDOC -- check entire doc
CheckPage	Spellcheck Page	Esc lp	971	3CB	KBD_CHECKPAGE -- check page
CorrectWord	Correct Word	Esc lcw	962	3C2	KBD_CORRECT -- correct word
LearnWord	Learn Word	Esc lap	963	3C3	KBD_ADDUSRDICT -- add to personal dict
AddWordToDocDict	Add Word To Document Dictionary	Esc lad	964	3C4	KBD_ADDDOCDICT -- add to document dict
AddToAutoCorrect	Add To Auto Corrections	Esc lac	965	3C5	KBD_ADDAUTOCORR -- add to auto corrections
UnlearnWord	Unlearn Word	Esc lxp	966	3C6	KBD_DELUSRDICT -- del from personal dict
DeleteWordFromDocDict	Delete Word From Document Dictionary	Esc lxd	967	3C7	KBD_DELDOCDICT -- del from document dict
ClearAutoCorrections	Clear Auto Corrections	Esc lca	968	3C8	KBD_CLEARAUTO -- clear auto corrections
ChangeDictionaries	Change Dictionaries...	Esc lcd	969	3C9	KBD_CHANGEDICT -- change dictionaries
SpellCheckerOptions	Spelling Checker Options...	Esc IO	972	3CC	KBD_SPOPTIONS -- spell check options
BatchSpellCheck	Batch Spell Check...	Esc lb	974	3CE	KBD_CHECKBATCH -- batch spell check
MarkAllPgfsForRechecking	Mark All Paragraphs For Rechecking	Esc lr	970	3CA	KBD_SPELLRESET -- reset checked pgfs
ShowWordsHyphenation	Show Word's Hyphenation	Esc l-	973	3CD	KBD_HYPHENATE -- hyphenate word
ReformatDocument	Reformat Document	Esc IR	975	3CF	KBD_REFORMATDOC -- reformat entire document

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
<b>AutoSpellCheck</b>					
!ASCSHOWCORRECTIONLIST	Correct Word		2453	995	KBD_ASC_CORRECT -- Correct word
ASCLearnWord	Learn Word		2454	996	KBD_ASC_ADDUSRDICTIONARY -- Add word to user dictionary
ASCAAddWordToDocDict	Allow in Document		2455	997	KBD_ASC_ADDDOCDICTIONARY -- Add word to doc dictionary
ASCEnableAutoSpellCheck	Auto Spell Check	Esc aus	2457	999	KBD_ASC_ENABLE_AUTO_SPELL_CHECK -- Enable auto spell check
<b>Tools</b>					
SmartSelectionTool	Smart Selection Tool	Esc 1s	3872	F20	KBD_ALLSELECT -- smart selection
ObjectSelectionTool	Object Selection Tool	Esc 1o	3873	F21	KBD_OBJSELECT -- object selection
Line	Line	Esc 1l	928	3A0	KBD_LINETOOL
Rectangle	Rectangle	Esc 1r	929	3A1	KBD_RECTTOOL
RoundedRectangle	Rounded Rectangle	Esc 1R	933	3A5	KBD_ROUNDRECT
Polygon	Polygon	Esc 1pg	930	3A2	KBD_POLYGTOOL
Polyline	Polyline	Esc 1pl	931	3A3	KBD_POLYLTOOL
Arc	Arc	Esc 1a	932	3A4	KBD_ARCTOOL
Ellipse	Ellipse	Esc 1e	934	3A6	KBD_OVALTOOL -- (ellipse)
Textline	Text Line	Esc 1tl	935	3A7	KBD_TEXTLTOOL
TextFrame	Text Frame	Esc 1ff, Esc 1tc	936	3A8	KBD_TEXTRTOOL
Freehand	Freehand	Esc 1f	937	3A9	KBD_FREETOOL
Frame	Frame	Esc 1m	938	3AA	KBD_FRAMETOOL
SelectLastUsedTool	Select Last Used Tool	Esc 11	939	3AB	KBD_LASTTOOL -- select last-used tool

## Dashed Lines Commands

SetPatternSolid	Set Pattern Solid	Esc 1ds	1026	402	KBD_SETSOLID -- set solid line
SetPatternDashed	Set Pattern Dashed	Esc 1dd	1027	403	KBD_SETDASH -- set dashed line
SelectFirstDashedPattern	Select First Dashed Pattern	Esc 0d	1028	404	KBD_DASH0 -- select first dashed pattern
SelectLastDashedPattern	Select Last Dashed Pattern	Esc 9d	1029	405	KBD_DASH1 -- select last dashed pattern
SelectNextDashedPattern	Select Next Dashed Pattern	Esc +d	1030	406	KBD_INCDASH -- select next dashed pattern
SelectPreviousDashedPattern	Select Previous Dashed Pattern	Esc -d	1031	407	KBD_DECDASH -- select previous dashed pattern
DashedOptions	Dashed Options	Esc 1di	1032	408	KBD_DASHOPTION -- bring up dashed options dialog

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
<b>More View Commands</b>					
ConditionVisibility	Show/Hide Conditional Text...	Esc vC	871	367	KBD_CONDVISIBILITY
ToggleCondUseFormatOverride	Conditional Text Format Overrides	Esc vO	872	368	KBD_CONDTOGGLEOVERR
ToggleGraphicsDisplay	Graphics	Esc vv	870	366	KBD_TOGGLEDRAW -- Toggle draw/don't draw preference
ViewBordersOn	Show Borders	Esc Vbs	1009	3F1	KBD_SHOW_BORDERS
ViewHotspotIndicatorsOn	Show Hotspot Indicators	Esc VHs	1289	509	KBD_SHOW_HOTSPOTINDICATORS
ViewTextSymbolsOn	Show Text Symbols	Esc Vts	1010	3F2	KBD_SHOW_SYMBOLS
ViewRulersOn	Show Rulers	Esc Vrs	1011	3F3	KBD_SHOW_RULERS
ViewGridLinesOn	Show Grid Lines	Esc Vgs	1012	3F4	KBD_SHOW_GRID
ViewPublisherBoundariesOn	Show Publisher Boundaries	Esc Vls	1013	3F5	KBD_SHOW_LINK_BOUNDARIES
ViewElementBoundariesOn	Show Element Boundaries	Esc VEs	1014	3F6	KBD_SHOW_ELEM_BORDER
ViewElementTagsOn	Show Element Boundaries (as Tags)	Esc VTs	1015	3F7	KBD_SHOW_ELEM_TAGS
ViewGraphicsOn	Show Graphics	Esc Vvs	1016	3F8	KBD_SHOW_GRAPHICS
ViewConditionIndicatorsOn	Show Conditional Text Indicators	Esc VOs	1017	3F9	KBD_SHOW_COND_IND
ViewBordersOff	Hide Borders	Esc Vbh	1265	4F1	KBD_HIDE_BORDERS
ViewHotspotIndicatorsOff	Hide Hotspot Indicators	Esc VHh	1290	50A	KBD_HIDE_HOTSPOTINDICATORS
ViewTextSymbolsOff	Hide Text Symbols	Esc Vth	1266	4F2	KBD_HIDE_SYMBOLS
ViewRulersOff	Hide Rulers	Esc Vrh	1267	4F3	KBD_HIDE_RULERS
ViewGridLinesOff	Hide Grid Lines	Esc Vgh	1268	4F4	KBD_HIDE_GRID
ViewPublisherBoundariesOff	Hide Publisher Boundaries	Esc Vlh	1269	4F5	KBD_HIDE_LINK_BOUNDARIES
ViewElementBoundariesOff	Hide Element Boundaries	Esc VEh	1270	4F6	KBD_HIDE_ELEM_BORDER
ViewGraphicsOff	Hide Graphics	Esc Vvh	1272	4F8	KBD_HIDE_GRAPHICS
ViewConditionIndicatorsOff	Hide Conditional Text Indicators	Esc VOh	1273	4F9	KBD_HIDE_COND_IND

## View Separations

ViewSeparation1	View Separation 1	Esc v1	877	36D	KBD_VIEWSEP1
ViewSeparation2	View Separation 2	Esc v2	878	36E	KBD_VIEWSEP2
ViewSeparation3	View Separation 3	Esc v3	879	36F	KBD_VIEWSEP3
ViewSeparation4	View Separation 4	Esc v4	893	37D	KBD_VIEWSEP4
ViewSeparation5	View Separation 5	Esc v5	894	37E	KBD_VIEWSEP5
ViewSeparation6	View Separation 6	Esc v6	926	39E	KBD_VIEWSEP6

## Window menu

ZoomIn	In	Esc zi	3888	F30	KBD_ZOOMIN -- zoom in
ZoomOut	Out	Esc zo	3889	F31	KBD_ZOOMOUT -- zoom out

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
ZoomFitPageInWindow	Fit Page in Window	Esc zp	3890	F32	KBD_ZOOM_FIT_PAGE -- zoom fit page in window
ZoomFitWindowToPage	Fit Window to Page	Esc zw	3891	F33	KBD_ZOOM_FIT_WINDOW -- zoom fit window to page
ZoomFitWindowToTextFrame	Fit Window to Text Frame	Esc zf	3903	F3F	KBD_ZOOM_FIT_TEXTFRAME -- zoom fit window to textframe
ZoomTo100	100%	Esc zz	3893	F35	KBD_ZOOM100 -- zoom to 100%
ZoomSet	Set Zoom Percentages	Esc zs	3900	F3C	KBD_ZOOM_SET -- set zoom percentages
ToggleZoomAutofit	Toggle Autofit After Zoom	Esc zaf	3866	F1A	KBD_ZOOM_AUTOFIT_AFTER_ZOOM -- toggle to enable/disable autofit after zoom

## Table Commands

MoveIPOutOfTable	Move IP Out Of Table	Esc tl	4032	FC0	KBD_TABLE_EXIT_IP -- Move IP out of table
EditRulingStyle	Edit Ruling Style	Esc te	3980	F8C	KBD_TABLE_RULES -- Edit Ruling Style
CharTabForTableCell	Tab For Table Cell	Esc Tab	547	223	KBD_TABLE_TAB -- Tab for table cells

## Table Dialog Shortcuts

UnifyTableFormats	Unify Table Formats	Esc tut	3984	F90	KBD_TBL_DLG_UNIFY_TF -- Unify Table Formats
AddRowsAbove	Add Rows Above	Esc tRa	3986	F92	KBD_TBL_DLG_ADD_ABOVE -- Add table rows above
AddRowsBelow	Add Rows Below	Esc tRb, Ctrl+j	3987	F93	KBD_TBL_DLG_ADD_BELOW -- Add table rows below
AddColumnsToLeft	Add Columns To Left	Esc tcl	3988	F94	KBD_TBL_DLG_ADD_LEFT -- Add columns to left
AddColumnsToRight	Add Columns To Right	Esc tcr	3989	F95	KBD_TBL_DLG_ADD_RIGHT -- Add columns to right
ClearLeavingCellsEmpty	Clear Leaving Cells Empty	Esc tce	3990	F96	KBD_TBL_DLG_CLEAR_EMPTY -- Clear leaving cells empty
ClearRemovingCells	Clear Removing Cells	Esc tcx	3991	F97	KBD_TBL_DLG_CLEAR_X -- Clear removing cells
TablePasteReplaceSelection	Paste Replacing Selection	Esc tpr	3992	F98	KBD_TBL_DLG_PASTE_REPL -- Paste replacing selection
TablePasteBefore	Paste Before	Esc tpb	3993	F99	KBD_TBL_DLG_PASTE_BEFORE -- Paste table before
TablePasteAfter	Paste After	Esc tpa	3994	F9A	KBD_TBL_DLG_PASTE_AFTER -- Paste table after
TableShrinkWrapColWidth	Shrink Wrap Column Width	Esc tw	4048	FD0	KBD_TBL_DLG_SHRINKWRAP -- Shrink wrap column width to selected cells contents

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
<b>Keyboard Table Selection</b>					
SelectCell	Select Cell	Esc the	4000	FA0	KBD_TBLSEL_CELL -- Select the current cell, then next
SelectRow	Select Row	Esc thr	4001	FA1	KBD_TBLSEL_ROW -- Select the current row, then next
SelectColumn	Select Column	Esc thc	4002	FA2	KBD_TBLSEL_COL -- Select the current col, then next
SelectTable	Select Table	Esc tht	4003	FA3	KBD_TBLSEL_TABLE -- Select the current table
SelectTextInCell	Select Text In Cell	Esc tha	4004	FA4	KBD_TBLSEL_CELLTEXT -- Select all text in the cell
SelectColumnBodyCells	Select Column Body Cells	Esc thb	4005	FA5	KBD_TBLSEL_COLBODY -- Select all body cells in the column

## Keyboard Table IP Navigation

MoveIPToTopLeftSelectedCell	Move IP To Top Left Selected Cell	Esc tms, Esc th0	4016	FB0	KBD_TBLIP_TOPLEFT -- IP to top left cell of table selection
MoveIPToCellAtRight	Move IP To Cell At Right	Esc tmr	4017	FB1	KBD_TBLIP_RIGHT -- IP to cell on right
MoveIPToCellAtLeft	Move IP To Cell At Left	Esc tml	4018	FB2	KBD_TBLIP_LEFT -- IP to cell on left
MoveIPToCellAbove	Move IP To Cell Above	Esc tmu	4019	FB3	KBD_TBLIP_ABOVE -- IP to cell above
MoveIPUpAndSelectText	Move IP Up And Select Text	Esc tmua, Alt+Ctrl+PgUp	4019	FB3	KBD_TBLIP_ABOVE -- IP to cell above
MoveIPToCellBelow	Move IP To Cell Below	Esc tmd	4020	FB4	KBD_TBLIP_BELOW -- IP to cell below
MoveIPDownAndSelectText	Move IP Down And Select Text	Esc tmda, Alt+Ctrl+PgDn	4020	FB4	KBD_TBLIP_BELOW -- IP to cell below
MoveIPToLeftmostCell	Move IP To Leftmost Cell	Esc tma	4021	FB5	KBD_TBLIP_LEFTMOST -- IP to left most cell in current row
MoveIPToRightmostCell	Move IP To Rightmost Cell	Esc tme	4022	FB6	KBD_TBLIP_RIGHTMOST -- IP to right most cell in current row
MoveIPToNextCell	Move IP To Next Cell	Esc tmn	4023	FB7	KBD_TBLIP_NEXT -- IP to next logical cell
MoveIPToPreviousCell	Move IP To Previous Cell	Esc tmp	4024	FB8	KBD_TBLIP_PREV -- IP to next previous cell
MoveIPToColumnTop	Move IP To Column Top	Esc tmt	4025	FB9	KBD_TBLIP_TOP -- IP to top cell in current column
MoveIPToColumnBottom	Move IP To Column Bottom	Esc tmb	4026	FBA	KBD_TBLIP_BOTTOM -- IP to bottom cell in current column
MoveIPToTopLeftCell	Move IP To Top Left Cell	Esc tmT	4025	FB9	KBD_TBLIP_TOP -- IP to top cell in current column

## Focus

FocusInDocument	Focus In Document	Esc Fid, Shift+F7	1568	620	FOCUS_INPUT_DOC -- Current document
-----------------	-------------------	-------------------	------	-----	-------------------------------------

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
FocusInFind	Focus In Find	Esc Fif	1569	621	FOCUS_INPUT_SEARCH -- Find
FocusInMarker	Focus In Marker	Esc Fim	1570	622	FOCUS_INPUT_MARKER -- Marker
FocusInSpelling	Focus In Spelling	Esc Fis	1571	623	FOCUS_INPUT_SPELL -- Spelling
FocusInHypertext	Focus In Hypertext	Esc Fih	1572	624	FOCUS_INPUT_HYPertext -- HyperText
FocusInParagraphDesigner	Focus In Paragraph Designer	Esc Fip	1574	626	FOCUS_INPUT_PGFFMT -- Paragraph format
FocusInCharacterDesigner	Focus In Character Designer	Esc Fic	1575	627	FOCUS_INPUT_FONTFMT -- Character format
FocusInConditionalText	Focus In Conditional Text	Esc Fio	1577	629	FOCUS_INPUT_COND -- Conditional text
FocusInRulingAndShading	Focus In Ruling And Shading	Esc Fir	1579	62B	FOCUS_INPUT_CUSTRS -- Custom ruling and shading
FocusInTableDesigner	Focus In Table Designer	Esc Fit	1580	62C	FOCUS_INPUT_TBLFMT -- Table format
FocusInStructureView	Focus In Structure View	Esc Fiv	1581	62D	FOCUS_INPUT_STRWIN -- Structure window
FocusInValidationWindow	Focus In Validation Window	Esc Fiw	1582	62E	FOCUS_INPUT_VALIDATION -- Validation Kit
FocusInAttributeEditor	Focus In Attribute Editor	Esc Fia	1583	62F	FOCUS_INPUT_ATTREDITOR -- Attribute editor kit
FocusInShowElementContext	Focus In Show Element Context	Esc Fie	2610	A32	FOCUS_INPUT_ELEM_CTX -- Show Element Context kit

## Close Modeless Dialogs

CloseFind	Close Find	Esc Cf	1665	681	KBD_CLOSE_SEARCH -- Search
CloseMarker	Close Marker	Esc Cm	1666	682	KBD_CLOSE_MARKER -- Marker
CloseSpelling	Close Spelling	Esc Cs	1667	683	KBD_CLOSE_SPELL -- Spelling
CloseParagraphDesigner	Close Paragraph Designer	Esc Cp	1668	684	KBD_CLOSE_PGFFMT -- Paragraph format
CloseCharacterDesigner	Close Character Designer	Esc Cc	1669	685	KBD_CLOSE_FONTFMT -- Character format
CloseConditionalText	Close Conditional Text	Esc Co	1670	686	KBD_CLOSE_COND -- Conditional text
CloseRulingAndShading	Close Ruling And Shading	Esc Cr	1671	687	KBD_CLOSE_CUSTRS -- Custom ruling and shading
CloseTableDesigner	Close Table Designer	Esc Ct	1672	688	KBD_CLOSE_TBLFMT -- Table format
CloseStructureView	Close Structure View	Esc Cv	1673	689	KBD_CLOSE_STRWIN -- Structure window
CloseValidationWindow	Close Validation Window	Esc Cw	1674	68A	KBD_CLOSE_VALIDATION -- Validation Kit
CloseAttributeEditor	Close Attribute Editor	Esc Ca	1675	68B	KBD_CLOSE_ATTREDITOR -- Attribute editor kit
CloseElementContextWindow	Close Element Context Window	Esc Cx	1676	68C	KBD_CLOSE_ELEM_CTX -- Close Element Context kit
CloseHypertext	Close Hypertext	Esc Ch	1677	68D	KBD_CLOSE_HYPertext -- Close Hypertext kit

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
--------------	---------------	----------	--------	--------	------------------------------

## Special Palette Commands

ClosePalette	Close Top Palette		3360	D20	KBD_CLOSE_TOP_PALETTE
CloseParagraphCatalog	Close Paragraph Catalog		3361	D21	KBD_CLOSE_PARAGRAPH_CATALOG
CloseCharacterCatalog	Close Character Catalog		3362	D22	KBD_CLOSE_CHARACTER_CATALOG
CloseToolsPalette	Close Tools Palette		3363	D23	KBD_CLOSE_TOOLS_PALETTE
CloseEquationsPalette	Close Equations Palette		3364	D24	KBD_CLOSE_EQUATIONS_PALETTE
CloseElementCatalog	Close Element Catalog		3366	D26	KBD_CLOSE_ELEMENT_CATALOG
CloseBookElementCatalog	Close Element Catalog		3366	D26	KBD_CLOSE_ELEMENT_CATALOG

## FrameMaker-Structured commands

### File Commands

ImportElementDefns	Element Definitions...	Esc fie	3998	F9E	KBD_USEELTDEFSFROM -- Import Element Definitions
--------------------	------------------------	---------	------	-----	--

### Element Commands

!ElementMergeFirst	Merge	Esc Em	4051	FD3	KBD_ELEM_MERGE_1ST -- Merge
!ElementSplit	Split	Esc Es	4053	FD5	KBD_ELEM_SPLIT -- Split
!ElementUnwrap	Unwrap	Esc Eu	4054	FD6	KBD_ELEM_UNWRAP -- Unwrap
InlineAttrEditor	Show Inline Attribute Editor	Esc iae	667	29B	KBD_INLINE_ATTREDTR -- inline attribute editor
!EditElementAttributes	Edit Attributes...	Esc EA	4076	FEC	KBD_ATTRIBUTE_EDIT -- Edit Attributes
!AttrConfigFileMaker	Launch Config File Maker...	Esc CFM	4090	FFA	KBD_ATTR_CONFIG_FILE_MAKER -- Edit Attributes
!ElementNamespaces	Namespaces...	Esc EN	4088	FF8	KBD_NAMESPACES -- Namespaces
ElementCatalog	Element Catalog...	Esc EC	3880	F28	KBD_ELEMENTWIN -- element catalog window
!SetAvailableElements	Set Available Elements...	Esc EOC	4055	FD7	KBD_ELEM_CAT_OPTS -- Set available elements
ElementInsertionOptions	New Element Options...	Esc EOI	4079	FEF	KBD_FB_EDIT_PREFS -- New Element Options
!Validation	Validate...	Esc Ev	4064	FE0	KBD_VALIDATION -- Validate

### View Commands

ViewElementBoundaries	Element Boundaries	Esc vE	4050	FD2	KBD_ELEM_BORDER -- Element borders
ViewElementTags	Element Boundaries (as Tags)	Esc vT	4061	FDD	KBD_ELEM_TAGS -- Element boundaries as Tags

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
ViewBannerText	Element Banner Text	Esc bt	311	137	KBD_BANNER_TEXT -- View Banner Text
SetAttrDisplay	Attribute Display Options...	Esc vA	4078	FEE	KBD_ATTR_DISP_OPTS -- Attribute Display
ShowElementContext	Show Element Context...	Esc fTE, Esc fDE	2609	A31	KBD_SHOW_ELEM_CTX -- Show element context

## Commands for the makersgml API clients

ECMNewEDD	New EDD	Esc fTN, Esc fDN	396784	60DF0	
ECMExportEDD	Export Element Catalog as EDD	Esc fTX, Esc fDX	462320	70DF0	
ECMNextElementPosition		Esc fEL	527856	80DF0	
ECMUpdateOldEDD	Update EDD to Current Version	Esc fEU	593392	90DF0	
SGInitRuleTable	Generate Conversion Table...	Esc fTG, Esc fDG	658928	A0DF0	
SGSaveEdd2Ccss	Generate CSS2...	Esc fTH, Esc fDH	1904112	1D0DF0	
SGStructureCurrentDoc	Structure Current Document...	Esc ftC	724464	B0DF0	
SGStructureCurrentBook	Structure Current Book...	Esc ftB	790000	C0DF0	
SGStructureDocuments	Structure Documents...	Esc ftD	855536	D0DF0	
SCOpenDTD	Open DTD...	Esc fTO, Esc fDO	1838576	1C0DF0	
SCUpdateDTD	Import DTD...	Esc fTM, Esc fDM	1707504	1A0DF0	
SCSaveDTD	Save as DTD...	Esc fTS, Esc fDS	1052144	100DF0	
SCOpenSchema	Open Schema...	Esc fTY, Esc fDY	2362864	240DF0	
SCImportSchema	Import Schema...	Esc fTZ, Esc fDZ	2428400	250DF0	
SCImportCSS	Import CSS Styles...	Esc fTJ, Esc fDJ	1773040	1B0DF0	
SCImportDocs	Convert Structured Documents...	Esc fts	921072	E0DF0	
SCExportDocs	Convert Documents to Structured Format...	Esc ftd	986608	F0DF0	
SCOpenApp	Edit Application Definitions	Esc fTA, Esc fDA	1314288	140DF0	
SCOpenGlobalApp	Edit Global Application Definitions	Esc fTB, Esc fDB	1379824	150DF0	
SCReadApp	Read Application Definitions	Esc fTR, Esc fDR	1445360	160DF0	
SCReadAppFromDisk		Esc fDr	1183216	120DF0	
SCNewRules	New Read/Write Rules	Esc fTW, Esc fDW	1510896	170DF0	
SCCheckRules	Check Read/Write Rules...	Esc fTC, Esc fDC	1576432	180DF0	
SCParseDoc	Parse Structured Document...	Esc fTP, Esc fDP	1641968	190DF0	
SCSetApp	Set Structured Application...	Esc fA	1248752	130DF0	
SCDocLink		Esc fTL, Esc fDL	1117680	110DF0	
SCStructAppWiz	Structured Application Designer...	Esc SAD	1969648	1E0DF0	
SCUpdateStructApp	Update Application Definition File...	Esc fUS	2035184	1F0DF0	

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
<b>Special Commands</b>					
RemoveStruct	Remove Structure from Flow	Esc ssf	2608	A30	KBD_STRIP_FLOWSTRUCTURE -- Remove structure from flow
NormalizeTags	Create and Apply Formats	Esc ftf	2611	A33	KBD_NORMALIZE_TAGS -- Catalogize pgf and char formats

## Non-menu Structure Commands

### Element Catalog View Options

ListStrictValid	List Valid Elements Working Start to End	Esc elv	4056	FD8	KBD_SETELCATSTRICT -- List valid elements working from start to end
ListLooseValid	List Valid Elements in Any Order	Esc elu	4057	FD9	KBD_SETELCATLOOSE -- List valid elements any order
ListValidChildren	List Elements Allowed Anywhere in Parent	Esc elc	4058	FDA	KBD_SETELCATCHILD -- List elements allowed anywhere in parent
ListFreqUsedElements	List Frequently Used Elements	Esc elf	4087	FF7	KBD_SETELCATFREQ -- List frequently used elements
ListAllElements	List All Elements	Esc ela	4059	FDB	KBD_SETELCATALL -- List all elements
InclusionElementGrouping	Toggle Inclusion Grouping	Esc eli	4081	FF1	KBD_TOGGLE_INCLUSION -- Toggle inclusion grouping
ToggleElementCollapse	Toggle Element Collapse	Esc Ex	4082	FF2	KBD_TOGGLE_COLLAPSE -- Toggle element collapse
ToggleElementCollapseAllSiblings	Toggle Element Collapse All Siblings	Esc EX	4083	FF3	KBD_TOGGLE_COLLAPSE_ALL -- Toggle collapse all siblings
ToggleElementCollapseAllChildren	Toggle Element Collapse All Children	Esc Er	2573	A0D	KBD_TOGGLE_COLLAPSE_CHILDREN -- Toggle collapse all children recursively
PromoteElement	Promote Element	Esc EP	4062	FDE	KBD_ELEM_PROMOTE -- Promote element
DemoteElement	Demote Element	Esc ED	4063	FDf	KBD_ELEM_DEMOTE -- Demote element
TransposeWithPrevElement	Transpose With Previous	Esc ET	4084	FF4	KBD_ELEM_TRANSPOSE_PREV -- Transpose with previous
TransposeWithNextElement	Transpose With Next	Esc Et	4085	FF5	KBD_ELEM_TRANSPOSE_NEXT -- Transpose with next
ElementMergeLast	Merge Into Last	Esc EM	4052	FD4	KBD_ELEM_MERGE_LAST -- Merge into last

### Structure IP Navigation

MoveIPNextElement	Move To Next Element	Esc sD, Alt+Ctrl+Down	325	145	CSR_NEXT_ELEMENT -- Next element/snippet start or end (gobbled)
-------------------	----------------------	-----------------------	-----	-----	---

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
MoveIPPrevElement	Move To Previous Element	Esc sU, Alt+Ctrl+Up	326	146	CSR_PREV_ELEMENT -- Previous element/ snippet start or end (gobbled)
MoveIPIntoNextChild	Move Into Next Child	Esc sN, Alt+Ctrl+Right	333	14D	CSR_INTTO_CHILD -- Into child (gobbled)
MoveIPBeforeElement	Move To Before Element	Esc sB, Alt+Ctrl+Left	331	14B	CSR_BEFORE_ELEMENT -- Before beginning of element (gobbled)
MoveIPStartOfElement	Move To Start Of Element	Esc sS	329	149	CSR_BOE -- Beginning of element (gobbled)
MoveIPEndOfElement	Move To End Of Element	Esc sE	330	14A	CSR_EOE -- End of element (gobbled)
ToggleLeftAnchor		Esc Sva	991	3DF	KBD_STRWIN_LEFTANCHOR -- toggle structure window left anchor when scrolling

## Structure Selection Commands

SelectElement	Select Element	Esc hE	585	249	HIGH_ELEMENT -- Highlight next element
SelectPreviousElement	Select Previous Element	Esc hP, Alt+Ctrl+Shift+Up	1056	420	HIGH_ELEMENT_PREV -- Move active end back 1 element
SelectNextElement	Select Next Element	Esc hN, Alt+Ctrl+Shift+Down	1057	421	HIGH_ELEMENT_NEXT -- Move active end forward 1 element
SelectSiblings	Select Siblings	Esc hS	1058	422	HIGH_SIBLINGS -- Extend to all of parent's contents
SelectParent	Select Parent	Esc heP, Alt+Ctrl+Shift+Left	1059	423	HIGH_PARENT -- Extend to all of parent

## Validation Commands

ValidateElement	Validate Element	Esc ve	4065	FE1	KBD_VAL_ELEM -- Validate element
ValidateFlow	Validate Flow	Esc vf	4066	FE2	KBD_VAL_FLOW -- Validate flow
ValidateDocument	Validate Document	Esc vd	4067	FE3	KBD_VAL_DOC -- Validate document
IgnoreMissingElements	Ignore Missing Elements	Esc vie	4068	FE4	KBD_VAL_IGNORE -- Ignore missing elements
IgnoreMissingAttributes	Ignore Missing Attributes	Esc via	4086	FF6	KBD_VAL_IGNORE_ATTR -- Ignore missing attributes
StartValidating	Start Validating	Esc vn	4069	FE5	KBD_VAL_START -- Start validating
AllowAsSpecialCase	Allow As Special Case	Esc vae	4070	FE6	KBD_VAL_ALLOW -- Allow as special case
ClearSpecialValidationCases	Clear Special Validation Cases	Esc vce	4071	FE7	KBD_VAL_CLEAR -- Clear special validation cases

## Structure Commands

InsertElement	Insert Element	Esc Ei, Ctrl+1	3912	F48	KBD_INSERTQUICK -- insert element quick key
WrapElement	Wrap Element	Esc Ew, Ctrl+2	3913	F49	KBD_WRAPQUICK -- wrap element quick key

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
ChangeElement	Change Element	Esc Ec, Ctrl+3	3916	F4C	KBD_CHANGEQUICK -- change element quick key
EditAttributeQuick	Quick Attr Edit	Ctrl+7	3917	F4D	KBD_ATTREDITQUICK -- attribute edit quick key
RepeatElemCommand	Repeat Last Element Command	Esc ee	4060	FDC	ELEM_BAM -- Repeat last insert/wrap/change
StructureView	Structure View...	Esc EV	4049	FD1	KBD_STRWIN -- Structure View
ToggleStructAndDocWin	Toggle Between Structure and Doc Windows	Esc sd	4089	FF9	KBD_TOGGLE_STRUCT_AND_DOCWIN -- Toggle struct and doc windows
PreviewFBA	Preview Filter by Attribute	Esc UP	2838	B16	KBD_PREVIEWFBA

## DRE (Dialog Editing) commands for FDK developers

TestAsModalDialog	Test As Modal Dialog	Esc dt	3953	F71	KBD_TEST_MODAL -- Test document as modal dialog
TestAsModelessDialog	Test As Modeless Dialog	Esc dT	3954	F72	KBD_TEST_MODELESS -- Test document as modeless dialog
TestPrintDialog	Print Dialog Resource...	Esc dp	3957	F75	KBD_TEST_PRINTDBRE -- print dialog resource test
CaptureLiveDialog	Capture Live Dialog	Alt+Ctrl+p, Esc dc	3960	F78	KBD_CAPTURE_LIVE_DIALOG -- capture (print) live dialog
SetStuffItem	Set Stuff Item	Esc df	3955	F73	KBD_STUFF_ITEM -- Set up stuff item
ShowMacDialog	Show Mac Dialog	Esc dm	3964	F7C	KBD_DRE_MODE_M -- make Mac the current view
ShowWindowsDialog	Show Windows Dialog	Esc dw	3963	F7B	KBD_DRE_MODE_W -- make Windows the current view
ShowXDialog	Show X/Motif Dialog	Esc dx	3962	F7A	KBD_DRE_MODE_X -- make X the current view
RemovePlatformDialog	Remove Platform Dialog	Esc dr	3961	F79	KBD_RM_MODE -- Remove platform dialog

## PDFSize Client commands

PDFSizeOptions	Options...	Esc odo	265712	40DF0	
----------------	------------	---------	--------	-------	--

## Notes Client commands

SaveNotesAndBookmarks	Save Notes and Bookmarks				
NewMark	New Bookmark...				
NewNote	New Note...				
Bookmarks	Bookmarks...				
Notes	Notes...				
TableCatalog	Catalog...	Esc tcc	4027	FBB	KBD_TABLEWIN -- table catalog window

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
IShowTableTags			4030	FBE	TBL_APPLY_TAG -- Set table tag from menu
LineNumProps	Line Numbers...	Esc In	1651	673	KBD_LINENUMPRO -- Line number properties
ToggleLineNumbers	Line Numbers	Esc TIn	1652	674	KBD_LINENUMTOGGLE -- Toggle line numbering ON/OFF

## Table Sort Client command

TableSort	Sort...	Esc ts	16256496	F80DF0	
-----------	---------	--------	----------	--------	--

## Adobe Online commands

AdobeOnline	FrameMaker Online...	Esc www	3097	C19	WEB_GOTOADOBE -- access web services
SamplesCmd	Samples...	Esc qs	2231792	220DF0	
ManualsCmd	Manuals...	Esc qm			
TourCmd	Tour...	Esc qt			
ClipArtCmd	Clip Art...	Esc qa	2297328	230DF0	
AdobeOnlinePreferences	Adobe Online...		3098	C1A	WEB_PREFERENCES
AdobeOnlineSupport	Support...		3099	C1B	WEB_TOPISSUES
AMTRegistration	Complete/Update Adobe ID Profile...		2405	965	AMT_REGISRATION
AMTDeactivate	Deactivate...		2407	967	AMT_DEACTIVATION
AMTUpdates	Updates...		2408	968	AMT_UPDATES
FMPIP	FrameMaker Product Improvement Program...		2054	806	KBD_FMPIP
EditVariable	Edit Variable	Esc usv	2572	A0C	KBD_EDITVARIABLE -- Edit Variable pod directly
OpenCMSRepository	Open Repository...	Esc oRp	2049	801	KBD_OPEN_REPOSITORY -- Repository related
CMSConnectionMgr	Connection Manager...	Esc ocm	2050	802	KBD_CMS_CONNECTION_MGR -- Repository related
NewXMLUI	XML...	Esc fX	2100720	200DF0	
UploadActiveDoc	Upload Active Document...	Esc uad	2053	805	KBD_CMS_UPLOAD_DOC_OR_BOOK
UploadActiveBook	Upload Active Book...	Esc uab	2053	805	KBD_CMS_UPLOAD_DOC_OR_BOOK
UploadActiveDitaMap	Upload Active DitaMap...	Esc uab	2053	805	KBD_CMS_UPLOAD_DOC_OR_BOOK
StyleCatalog	Object Style Catalog	Esc ge	2993	BB1	KBD_STYLE_CATALOG
StyleDesigner	Object Style Designer	Esc gi, Ctrl+y	2994	BB2	KBD_STYLE_DESIGNER

## Math – Equations menu

SmallEquation	Small Equation	Esc ms	3920	F50	KBD_SMEQN -- Small equation
MediumEquation	Medium Equation	Esc mm	3921	F51	KBD_MEDEQN -- Medium equation
LargeEquation	Large Equation	Esc ml	3922	F52	KBD_LGEQN -- Large equation

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
ShrinkwrapEquation	Shrinkwrap Equation	Esc mp	3923	F53	KBD_PUTINLINE -- Shrinkwrap
UnwrapEquation	Unwrap Equation	Esc me	3924	F54	KBD_ANTIPUTINLINE -- Expand (unwrap)
EquationSizes	Equation Sizes...	Esc pe	822	336	KBD_EQUATION -- Equation Sizes
EquationFonts	Equation Fonts...	Esc mf	1795	703	
MathInsertElement	Insert Math Element...	Esc mi	1794	702	
MathAddDefinitionToCatalog	Add Definition To Catalog	Esc mc	1792	700	
MathUpdateDefinition	Update Definition	Esc mU	1793	701	
MathRemoveParentheses	Remove Parentheses	Esc mrp	8220	201C	
MathToggleFormat	Toggle Format	Esc mT, Ctrl+Shift+t	6404	1904	
MathNewOperand	New Operand	Esc mn, Ctrl+Shift+n	6402	1902	
MathInsertString	Insert String	','	4100	1004	

## Math – Greek Letters

Mathalpha	alpha	Alt+Ctrl+a	4864	1300	
Mathbeta	beta	Alt+Ctrl+b	4865	1301	
Mathchi	chi	Alt+Ctrl+c	4866	1302	
Mathdelta	delta	Ctrl+g d	4867	1303	
MathDelta	Delta	Ctrl+g D	4868	1304	
Mathepsilon	epsilon	Alt+Ctrl+e	4869	1305	
Mathphi	phi	Alt+Ctrl+f	4870	1306	
Mathvarphi	varphi	Alt+Ctrl+j	4871	1307	
MathPhi	Phi	Alt+Ctrl+F	4872	1308	
Mathgamma	gamma	Alt+Ctrl+g	4873	1309	
MathGamma	Gamma	Alt+Ctrl+G	4874	130A	
Matheta	eta	Alt+Ctrl+h	4875	130B	
Mathiota	iota	Alt+Ctrl+i	4876	130C	
Mathkappa	kappa	Alt+Ctrl+k	4877	130D	
Mathcpartial	cpartial	Alt+Ctrl+7	4910	132E	
Mathlambda	lambda	Alt+Ctrl+l	4878	130E	
MathLambda	Lambda	Alt+Ctrl+L	4879	130F	
Mathmu	mu	Alt+Ctrl+m	4880	1310	
Mathnu	nu	Alt+Ctrl+n	4881	1311	
Mathpi	pi	Alt+Ctrl+p	4882	1312	
MathPi	Pi	Alt+Ctrl+P	4883	1313	
Maththeta	theta	Alt+Ctrl+q	4884	1314	
Mathvartheta	vartheta	Alt+Ctrl+J	4885	1315	
MathTheta	Theta	Alt+Ctrl+Q	4886	1316	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
Mathrho	rho	Alt+Ctrl+r	4887	1317	
Mathsigma	sigma	Alt+Ctrl+s	4888	1318	
Mathvarsigma	varsigma	Alt+Ctrl+E	4889	1319	
MathSigma	Sigma	Alt+Ctrl+S	4890	131A	
Mathtau	tau	Alt+Ctrl+t	4891	131B	
Mathupsilon	upsilon	Alt+Ctrl+u	4892	131C	
MathUpsilon	Upsilon	Alt+Ctrl+U	4893	131D	
Mathomega	omega	Alt+Ctrl+o	4894	131E	
Mathvarpi	varpi	Alt+Ctrl+l	4895	131F	
MathOmega	Omega	Alt+Ctrl+O	4896	1320	
Mathxi	xi	Alt+Ctrl+x	4897	1321	
MathXi	Xi	Alt+Ctrl+X	4898	1322	
Mathpsi	psi	Alt+Ctrl+y	4899	1323	
MathPsi	Psi	Alt+Ctrl+Y	4900	1324	
Mathzeta	zeta	Alt+Ctrl+z	4901	1325	

## Math – Diacritical Marks

MathPrime	Prime	`	5379	1503	
MathTilde	Tilde	~	5377	1501	
Mathbar	bar	Ctrl+g -	5378	1502	
MathHat	Hat	Ctrl+g ^	5380	1504	
MathVector	Vector	Alt+Ctrl+V	5381	1505	
MathSubTilde	SubTilde	Ctrl+g ~	5382	1506	
MathSubBox	SubBox	Ctrl+g _	5383	1507	
MathArrow	Arrow	Ctrl+g Right	5385	1509	
MathArc	Arc	Ctrl+g @	5386	150A	

## Math – Unusual Symbols

Mathinfty	infty	Alt+Ctrl+1	4902	1326	
Mathbot	bot	Alt+Ctrl+2	4903	1327	
Mathldots	ldots	Ctrl+g .	4904	1328	
Mathaleph	aleph	Alt+Ctrl+3	4905	1329	
Mathlm	lm	Alt+Ctrl+4	4906	132A	
MathRe	Re	Ctrl+Return \$	4907	132B	
Mathwp	wp	Alt+Ctrl+5	4908	132C	
Mathemptyset	emptyset	Alt+Ctrl+0	4909	132D	
Mathnabla	nabla	Alt+Ctrl+6	4911	132F	

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
Mathprime	prime	Alt+Ctrl+'	4912	1330	
Mathpprime	pprime	Ctrl+Return "	4913	1331	
Mathdegree	degree	Ctrl+Return )	4914	1332	

## Math – template - N-ary

MathEqual	Equal	=	6401	1901	
MathForceEquals	Force Equals	Esc m=, Ctrl+Return =	4110	100E	
MathPlus	Plus	Shift++, +	4109	100D	
MathMult	Mult	*	4107	100B	
MathToThe	ToThe	^	4221	107D	
MathEquiv	Equiv	Ctrl+q :	4128	1020	
MathApprox	Approx	Ctrl+q ;	4130	1022	
MathPropTo	PropTo	Ctrl+q 5	4129	1021	
MathCDot	CDot	Ctrl+Return .	4147	1033	
MathNotsubset	Notsubset	Ctrl+q K	4141	102D	
MathNi	Ni	Ctrl+'	4146	1032	
MathJotDot	JotDot	Ctrl+j	4112	1010	
MathOTimes	OTimes	Ctrl+q D	4113	1011	
MathOPlus	OPlus	Ctrl+q E	4114	1012	
MathNotEqual	NotEqual	Ctrl+q =	4121	1019	
MathCong	Cong	@	4131	1023	
MathSim	Sim	Ctrl+Return ~	4132	1024	
MathWedge	Wedge	Ctrl+q Y	4144	1030	
MathVee	Vee	Ctrl+q Z	4145	1031	
MathIn	In	Ctrl+q N	4142	102E	
MathSubset	Subset	Ctrl+q L	4139	102B	
MathSuperset	Superset	Ctrl+q I	4137	1029	
MathLeq	Leq	Ctrl+g <	4123	101B	
MathGeq	Geq	Ctrl+g >	4125	101D	
MathLessThan	LessThan	<	4122	101A	
MathGreaterThan	GreaterThan	>	4124	101C	
MathLeftArrow	LeftArrow	Ctrl+q	4115	1013	
MathRightArrow	RightArrow	Ctrl+q .	4116	1014	
MathLRArrow	LRArrow	Ctrl+q +	4117	1015	
MathComma	Comma		4111	100F	
MathParallel	Parallel	Ctrl+Return p	4134	1026	
MathPerp	Perp	Ctrl+Return r	4133	1025	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
MathCap	Cap	Ctrl+Return i	4135	1027	
MathCup	Cup	Ctrl+Return u	4136	1028	
MathNotIn	NotIn	Ctrl+q O	4143	102F	
MathSubsetEq	SubsetEq	Ctrl+q J	4140	102C	
MathSupersetEq	SupersetEq	Ctrl+q M	4138	102A	
Mathll	ll	Ctrl+Return Ctrl+<, Ctrl+q l	4127	101F	
Mathgg	gg	Ctrl+Return Ctrl+>, Ctrl+q g	4126	101E	
MathLeftArrow2	LeftArrow2	Ctrl+q \	4118	1016	
MathRightArrow2	RightArrow2	Ctrl+q ^	4119	1017	
MathLRArrow2	LRArrow2	Ctrl+q [	4120	1018	

## Math – template - multi-format

MathParentheses	Parentheses	(	4213	1075	
MathSquareBrackets	Square Brackets	[	4213	1075	
MathBraces	Braces	{	4213	1075	
MathLParen	LParen	Ctrl+Return (	4209	1071	
MathLeftParenSquareBracket	Left Paren Square Bracket	Ctrl+Return [	4209	1071	
MathLeftParenBrace	Left Paren Brace	Ctrl+Return {	4209	1071	
MathRParen	RParen	)	4210	1072	
MathRightParenSquareBracket	Right Paren Square Bracket	]	4210	1072	
MathRightParenBrace	Right Paren Brace	}	4210	1072	
MathOver	Over	/	4220	107C	
MathDivide	Divide	Ctrl+Return /	4231	1087	
MathFract	Fract	Alt+Ctrl+/ 	4232	1088	

## Math – template - Large

MathInt	Int	Ctrl+Tab	4205	106D	
MathOInt	OInt	Ctrl+Shift+Tab	4206	106E	
MathSum	Sum	Ctrl+Shift+s	4203	106B	
MathProd	Prod	Ctrl+Shift+p	4204	106C	
MathBigCap	BigCap	Ctrl+Return l	4208	1070	
MathBigCup	BigCup	Ctrl+Return U	4207	106F	
MathOpTotal	OpTotal	Ctrl+g t	4201	1069	
MathOpPartial	OpPartial	Ctrl+g p	4202	106A	
MathSqrt	Sqrt	Ctrl+r	4181	1055	

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
Matho_TOTAL	o_TOTAL	Ctrl+g T	6153	1809	
Matho_PARTIAL	o_PARTIAL	Ctrl+g P	6154	180A	
MathSubstitution	Substitution		4148	1034	

## Math – template - binary

MathMinus	Minus	-	4154	103A	
Mathbket	bket	Ctrl+Return B	4227	1083	
MathInprod	Inprod	Ctrl+Return N	4228	1084	
MathChoice	Choice	Ctrl+Return h	4224	1080	
MathList	List	Esc mhl, Ctrl+Return ;	4106	100A	
MathATop	ATop	Esc mvl, Ctrl+a	4105	1009	
MathLim	Lim	Ctrl+Shift+l	4223	107F	
MathBullet	Bullet	Ctrl+8	4229	1085	
Mathcmut	cmut	Ctrl+Return C	4225	1081	
Mathsn	sn	Ctrl+Shift+e	4222	107E	
MathCross	Cross	Ctrl+Return *	4230	1086	
Mathacmut	acmut	Ctrl+Return A	4226	1082	

## Math – Indices

MathPre-Superscript	Pre-Superscript	Ctrl+Return ^	6311	18A7	
MathSuperscript	Superscript	Ctrl+Shift+	6309	18A5	
MathPre-Subscript	Pre-Subscript	Ctrl+Return _	6312	18A8	
MathSubscript	Subscript	Ctrl+Shift+	6310	18A6	
Matho_ADDINDEX	o_ADDINDEX	Ctrl+g n	6308	18A4	

## Math – Functions

MathFunction	Function	Ctrl+f	4108	100C	
--------------	----------	--------	------	------	--

## Math – Unaries

Matho_NEGATE	o_NEGATE	Ctrl+-	6400	1900	
MathUEqual	UEqual	Ctrl+g =	4189	105D	
MathForAll	ForAll	Ctrl+Return a	4193	1061	
MathExists	Exists	Ctrl+Return e	4194	1062	
MathTherefore	Therefore	Ctrl+Return t	4192	1060	
MathNeg	Neg	Ctrl+Return n	4191	105F	
MathBox	Box	Ctrl+Return x	4186	105A	
MathUComma	UComma	Ctrl+Return	4199	1067	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
MathSemicolon	Semicolon	;	4200	1068	
MathDangle	Dangle	Ctrl+Return <	4216	1078	
MathPm	Pm	Ctrl+q 1	4152	1038	
MathAngle	Angle	Ctrl+q P	4190	105E	
MathVar	Var	Alt+Ctrl+d	4196	1064	
MathDiff	Diff	Ctrl+d	4195	1063	
MathGrad	Grad	Ctrl+q Q	4182	1056	
MathDiv	Div	Ctrl+Return v	4183	1057	
MathBoxDot	BoxDot	Ctrl+Return o	4187	105B	
MathAbs	Abs	Ctrl+g	4214	1076	
MathCeil	Ceil	Ctrl+q i	4234	108A	
MathBra	Bra	Ctrl+Return b	4217	1079	
MathFactorial	Factorial	!	4149	1035	
MathDagger	Dagger	Ctrl+Return d	4150	1036	
MathMp	Mp	Ctrl+Return 1	4153	1039	
MathChange	Change	Ctrl+Return Ctrl+d, Alt+Ctrl+D	4198	1066	
MathPartial	Partial	Ctrl+Shift+d	4197	1065	
MathCurl	Curl	Ctrl+Return c	4184	1058	
MathLap	Lap	Ctrl+Return l	4185	1059	
MathBox2	Box2	Ctrl+Return 2	4188	105C	
MathNorm	Norm	Ctrl+Return	4215	1077	
MathFloor	Floor	Ctrl+q k	4233	1089	
MathKet	Ket	Ctrl+Return k	4218	107A	
MathAst	Ast	Ctrl+Return s	4151	1037	
MathDownBrace	DownBrace	Ctrl+Return D	4212	1074	
MathUpBrace	UpBrace	Ctrl+Return P	4211	1073	
MathOverline	Overline	–	4219	107B	

## Math – Matrices

MathCreate1x1matrix	Create matrix	Esc xm, Ctrl+g Ctrl+x	4104	1008	
MathAddRow	Add Row	Esc xr, Alt+Shift+r	6304	18A0	
MathAddColumn	Add Column	Esc xc, Ctrl+Shift+c	6305	18A1	
MathDeleteRow	Delete Row	Ctrl+Return Ctrl+r, Alt+Ctrl+R	6306	18A2	
MathDeleteColumn	Delete Column	Ctrl+Return Ctrl+c, Alt+Ctrl+C	6307	18A3	

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
MathTransposeMatrix	Transpose Matrix	Esc xt	8207	200F	
MathMatrixAlgebra	Matrix Algebra	Esc xa	8215	2017	

## Math – Computation

MathDifferentiate	Differentiate	Esc mvd	8196	2004	
MathDifferentiateOnce	Differentiate Once	Esc mvD	8197	2005	
MathEvaluate	Evaluate	Esc mve	8219	201B	
MathFactor	Factor	Esc muf	8204	200C	
MathFactorSome	Factor Some	Esc muF	8205	200D	
MathIntegrate	Integrate	Esc mvi	8198	2006	
MathDistribute	Distribute	Esc mud	8209	2011	
MathNumberCrunch	Number Crunch	Esc mvn	8199	2007	
MathShowAllDigits	Show All Digits	Esc mv.	8200	2008	
MathLongDivision	Long Division	Esc mdl	8206	200E	
MathOrderinSum	Order in Sum	Esc mao	8216	2018	
MathOrderinSumotherway	Order in Sum other way	Esc maO	8217	2019	
MathPulloutoneterm	Pull Out One Term	Esc moe	8201	2009	
MathPullOutAllTerms	Pull out all terms	Esc moE	8202	200A	
MathAddFractions	Add Fractions	Esc maa	8218	201A	
MathSimplify	Simplify	Esc mos	8192	2000	TEXTSEL_DRAGGING
MathSimplifySome	Simplify Some	Esc moS	8193	2001	
MathMultiplyOut	Multiply Out	Esc mum	8194	2002	
MathMultiplyOutOnce	Multiply Out Once	Esc muM	8195	2003	
MathIsolateTerm	Isolate Term	Esc moi	8214	2016	
MathEnterDefinition	Enter Definition	Esc mre	8708	2204	
MathApplyDefinition	Apply Definition	Esc mra	8709	2205	
MathDesignateDummy	Designate Dummy	Esc mrd	5384	1508	
MathEvalSubstitutions	Eval Substitutions	Esc mvs	8203	200B	
MathDistributeOver	Distribute Over =	Esc muD	8208	2010	
MathRemoveDivision	Remove Division	Esc mdd	8210	2012	
MathRemoveDivisionOnce	Remove Division Once	Esc mdD	8211	2013	
MathRemoveNegPowers	Remove Neg Powers	Esc mdn	8212	2014	
MathRemoveNegPowersOnce	Remove Neg Powers Once	Esc mdN	8213	2015	

## Math – editing/navigation

MathMoveToNextPrompt	Move To Next Prompt	Tab	5632	1600	
----------------------	---------------------	-----	------	------	--

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
MathDelete	Delete	Ctrl+BkSp, Ctrl+u, Delete, BkSp	5641	1609	
MathMoveIPLeft	Move IP Left	Left	5636	1604	
MathMoveLeft	Move Left	Shift+Left, Ctrl+Left	8451	2103	
MathMoveLeftInto	Move Left Into	Ctrl+Return Ctrl+Tab, Ctrl+Shift+Left	8452	2104	
MathMoveLeftAllTheWay	Move Left All The Way	Alt+Ctrl+Left	8453	2105	
MathMoveIPRight	Move IP Right	Right	5635	1603	
MathMoveRight	Move Right	Shift+Right, Ctrl+Right	8448	2100	
MathMoveRightInto	Move Right Into	Ctrl+Return Ctrl+o, Ctrl+Shift+Right	8449	2101	
MathMoveRightAllTheWay	Move Right All The Way	Alt+Ctrl+Right, Ctrl+Return Ctrl+;	8450	2102	
MathPeriod	Period	.	46	2E	
MathBackslash	Backslash	\	92	5C	
MathSpace	Space	Space	32	20	
MathMoveIPUp	Move IP Up	Up	5633	1601	
MathMoveUp	Move Up	Shift+Up, Ctrl+Up	8454	2106	
MathMoveIPDown	Move IP Down	Down	5634	1602	
MathMoveDown	Move Down	Shift+Down, Ctrl+Down	8455	2107	
MathSwapLeft	Swap Left	Ctrl+Return Ctrl+Left, Alt+Ctrl+Shift+Left	8456	2108	
MathSwapRight	Swap Right	Ctrl+Return Ctrl+Right, Alt+Ctrl+Shift+Right	8457	2109	
MathRemoveAllKerning	Remove All Kerning	Alt+Home, Alt+End, Alt+Shift+Home, Alt+Shift+End	5896	1708	
MathKernUp6pts	Kern Up 6 pts		5892	1704	
MathKernDown6pts	Kern Down 6 pts		5893	1705	
MathKernLeft6pts	Kern Left 6 pts		5894	1706	
MathKernRight6pts	Kern Right 6 pts		5895	1707	
<b>Math – Alignment stuff</b>					
MathAlignLeft	Align Left	Esc mal	5952	1740	
MathAlignRight	Align Right	Esc mar	5953	1741	
MathAlignCenter	Align Center	Esc mac	5954	1742	
MathAlignEqualR	Align Right of Equals	Esc ma=	5958	1746	
MathAlignEqualL	Align Left of Equals	Esc ma+	5959	1747	
MathAlignSetManual	Align Set Manual	Esc mas	5961	1749	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
MathAlignClearManual	Align Clear Manual	Esc mad	5962	174A	
MathAlignTop	Align Top	Esc mat	5955	1743	
MathAlignBottom	Align Bottom	Esc maB	5956	1744	
MathAlignBaseline	Align Baseline	Esc mab	5957	1745	
MathAlignMatrixRowToggle	Align Matrix Row Toggle	Esc mtr	5968	1750	
MathAlignMatrixColToggle	Align Matrix Column Toggle	Esc mtc	5965	174D	
MathSetManualLineBreak	Set Manual Line Breaks	Esc mbs	6020	1784	
MathClearManualLineBreaks	Clear Manual Line Breaks	Esc mbc	6021	1785	
MathResetAlignment	Clear Manual Line Breaks	Esc maR	5906	1712	

## Windows Commands

PrintSetup	Print Setup...	Ctrl+Shift+p	2314	90A	KBD_PRINTSETUP
SaveAsPdfRev	Send through email...	Esc rv	2394	95A	KBD_SAVEASPDFREVIEW
SaveAsPdfUbiquitous	Enable commenting in Reader...	Esc fwu	2398	95E	KBD_SAVEASPDFUBIQU
SaveAsPdfShare	Share on Acrobat.com...	Esc fws	2399	95F	KBD_SAVEASPDFSHARE
Send	Send...	Esc fm	3568	DF0	KBD_API -- Dynamic (API clients/config)
SendAllOpenFiles	Send All Open Files...	Esc fM	69104	10DF0	
InsertObject	Object...	Esc fib	2323	913	KBD_INSERTOBJECT
EditLinks	Links...	Esc ek	2322	912	KBD_EDITLINKS
PodsMarkers	Markers...	Esc vmk	2410	96A	KBD_MARKERSPOD -- Add Marker Type by name
PodsXRefs	Cross-References...	Esc vpc	2411	96B	KBD_XREFSPOD -- Cross-References Pod
FontPod	Fonts...	Esc vpf	2406	966	KBD_FONTPOD -- font pod
Cascade	Cascade	Shift+F4	2307	903	KBD_WIN_CASCADE
Tile	Tile	Shift+F5	2308	904	KBD_WIN_TILE
BookRenameOrDocStylePlain		F2	2304	900	KBD_RENAMEORPLAIN
TabLeft			2310	906	KBD_TAB_LEFT
TabCenter			2311	907	KBD_TAB_CENTER
TabRight			2312	908	KBD_TAB_RIGHT
TabDecimal			2313	909	KBD_TAB_DECIMAL
PaletteToggleHToV			2317	90D	KBD_QACCESS_TOGGLE
SelPlain	Plain		637	27D	TXT_SELPLAIN -- Set chars to plain
SelBold	Bold		634	27A	TXT_SELBOLD -- Set chars to bold
SelItalic	Italic		635	27B	TXT_SELITALIC -- Set chars to italic
SelUnderline	Underline		636	27C	TXT_SELUNDERLINE -- Set chars to underline

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
IncFontSize	Increment Text Size 1 pt		287	11F	TXT_SELINCSIZE -- Increment text size, sel only
DecFontSize	Decrement Text Size 1 pt		288	120	TXT_SELDECSIZE -- Decrement text size, sel only
SetToLowerCase	Lower Case		874	36A	KBD_ALLLOWERH -- like ALLLOWER, but keep text selected
SetToUpperCase	Upper Case		873	369	KBD_ALLCAPH -- like ALLCAP, but keep text selected
SetToInitialCap	Initial Capital		875	36B	KBD_INITCAPH -- like INITCAP, but keep text selected
Nudge1ptUp			293	125	KBD_OBJJUP -- Move 1 point up (gobbled)
Nudge1ptDown			294	126	KBD_OBJJDOWN -- Move 1 point down (gobbled)
Nudge1ptLeft			295	127	KBD_OBJJLEFT -- Move 1 point left (gobbled)
Nudge1ptRight			296	128	KBD_OBJJRIGHT -- Move 1 point right (gobbled)
AlignGfxTop	Top Align		297	129	KBD_OBALIGN_TOP -- Top align
AlignGfxBottom	Bottom Align		299	12B	KBD_OBALIGN_BOTTOM -- Bottom align
AlignGfxTBCenter	Top-Bottom Center Align		298	12A	KBD_OBALIGN_MIDDLE -- Top/bottom (middle) align
AlignGfxLeft	Left Align		301	12D	KBD_OBALIGN_LEFT -- Left justify paragraph
AlignGfxRight	Right Align		302	12E	KBD_OBALIGN_RIGHT -- Right justify paragraph
AlignGfxLRCenter	Left-Right Center Align		300	12C	KBD_OBALIGN_CENTER -- Center paragraph
RotateGfxClockwise	Rotate Clockwise		905	389	KBD_ROTATE_CW_SMALL -- rotate 15 or 90 clockwise
RotateGfxCounterClock	Rotate CounterClockwise		906	38A	KBD_ROTATE_CCW_SMALL -- rotate 15 or 90 counterclockwise
HelpQAB			2318	90E	KBD_QAB_HELP
WinSlavics		Ctrl+q p	240	F0	
ShowNextKit	Show Next	Ctrl+F6	2417	971	KBD_SHOWNEXT
ShowPrevKit	Show Previous	Ctrl+Shift+F6	2418	972	KBD_SHOWPREV
ThemeLoad	LoadTheme...	Esc LT	2420	974	KBD_OWLTHEME_LOAD -- Load Owl Theme
ThemeSave	SaveTheme...	Esc ST	2421	975	KBD_OWLTHEME_SAVE -- Save Owl Theme
ToggleScreenMode	Toggle Screen Mode	Alt+Shift+Return, Esc SMT	2424	978	KBD_SCREENMODE_TOGGLE -- Toogle Screen Mode For a Document

Command Name	Command Label	Shortcut	FC Dec	FC Hex	FDK Name & Comments fcodes.h
ScreeModeStandard	Standard Screen Mode	Esc SMs	2425	979	KBD_SCREENMODE_STANDARD -- Standard Screen Mode
ScreenModeFullWithUi	Full Screen Mode with UI	Esc SMu	2426	97A	KBD_SCREENMODE_FULLSCREEN_UI -- Full Screen Mode with UI visible
ScreenModeFullScreen	Full Screen Mode	Esc SMf	2427	97B	KBD_SCREENMODE_FULLSCREEN -- Full Screen Mode with only document visible
UiPreferences	Interface...	Esc ip	2432	980	KBD_UI_PREFERENCE -- Ui Preference Dialog
UiAlertStringsPreferences	Alert Strings...	Esc asp	2433	981	KBD_UIALERTSTRINGS_PREF -- Alert Strings Preference Dialog
ToolBarShowAll	Show All	Esc TSA	2441	989	KBD_TOOLBAR_SHOWALL -- Show All the toolbars
ToolBarHideAll	Hide All	Esc THA	2442	98A	KBD_TOOLBAR_HIDEALL -- Hide All the toolbars
ToolBar_gfx	Graphics Toolbar		2447	98F	KBD_TOOLBAR_BASE -- ToolBar Selected from Menu
tb_qck	Quick Access Bar	Esc vq	67983	1098F	
tb_structured	Structured Access Bar	Esc vs	133519	2098F	
tb_txt_fmt	Text Formatting	Esc Vte	199055	3098F	
tb_tbl_fmt	Table Formatting	Esc Vta	264591	4098F	
tb_para_fmt	Paragraph Formatting	Esc Vpa	330127	5098F	
tb_obj_align	Object Alignment	Esc Voa	395663	6098F	
tb_obj_prop	Object Properties	Esc Vop	461199	7098F	
tb_tr_ch	Track Text Edits	Esc Ve	526735	8098F	
FM_Switch_To_View_1		Esc S1	3574	DF6	KBD_VIEW_SWITCH
FM_Switch_To_View_2		Esc S2	3574	DF6	KBD_VIEW_SWITCH
FM_Switch_To_View_3		Esc S3	3574	DF6	KBD_VIEW_SWITCH
BookErrLog	Book Error Log		134640	20DF0	
DitamapErrLog	Ditamap Error Log		200176	30DF0	
PDFSizeFile	Optimize File...		331248	50DF0	

## Custom / API Client Commands

PasteWithStructure	Smart Paste	Esc spt	2166256	210DF0	
background color	Background Color		2493936	260DF0	
lightning1	Lights From File		2559472	270DF0	
lightning2	No Lights		2625008	280DF0	
lightning3	White Lights		2690544	290DF0	
lightning4	Day Lights		2756080	2A0DF0	
lightning5	Bright Lights		2821616	2B0DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
lightning6	Primary Color Lights		2887152	2C0DF0	
lightning7	Night Lights		2952688	2D0DF0	
lightning8	Blue Lights		3018224	2E0DF0	
lightning9	Red Lights		3083760	2F0DF0	
lightning10	Cube Lights		3149296	300DF0	
lightning11	CAD Optimized Lights		3214832	310DF0	
lightning12	Headlamp		3280368	320DF0	
Existing Views	Show Existing Views		3345904	330DF0	
Bounding Box	Bounding Box		3411440	340DF0	
Transparent Bounding Box	Transparent Bounding Box		3476976	350DF0	
Transparent Bounding Box Outline	Transparent Bounding Box Outline		3542512	360DF0	
Vertices	Vertices		3608048	370DF0	
Shaded Vertices	Shaded Vertices		3673584	380DF0	
Wireframe	Wireframe		3739120	390DF0	
Shaded Wireframe	Shaded Wireframe		3804656	3A0DF0	
Solid	Solid		3870192	3B0DF0	
Transparent	Transparent		3935728	3C0DF0	
Solid Wireframe	Solid Wireframe		4001264	3D0DF0	
Transparent Wireframe	Transparent Wireframe		4066800	3E0DF0	
Illustration	Illustration		4132336	3F0DF0	
Solid Outline	Solid Outline		4197872	400DF0	
Shaded Illustration	Shaded Illustration		4263408	410DF0	
Hidden Wireframe	Hidden Wireframe		4328944	420DF0	
Set javascript file	Select JavaScript...		4394480	430DF0	
Link to text	Link to text...		4460016	440DF0	
u3d properties	Properties...		4525552	450DF0	
fileDFM_RefManagerCmd	Insert Conref...	Esc IC	4591088	460DF0	
fileDFM_AssignIdCmd	Assign ID to Element	Esc AI	4656624	470DF0	
fileDFM_AssignIdToAllCmd	Assign ID to Elements...	Esc AA	4722160	480DF0	
fileDFM_UpdateRefsCmd	Update References...	Esc UR	4787696	490DF0	
fileDFM_ManageKeySpacesCmd	Manage Keyspaces...	Esc MK	4853232	4A0DF0	
fileDFM_SetKeySpaceCmd	Set Keyspace...	Esc SK	4918768	4B0DF0	
fileDFM_OpenAllToicrefsCmd	Open All Topicrefs...	Esc OA	4984304	4C0DF0	
fileDFM_InsertTopicRefCmd	Topicref...	Esc IT	5049840	4D0DF0	
fileDFM_InsertMapRefCmd	Mapref...	Esc IT	5115376	4E0DF0	
fileDFM_InsertTopicSetCmd	Topicset...	Esc IT	5180912	4F0DF0	
fileDFM_InsertKeyDefCmd	Keydef...	Esc IT	5246448	500DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
fileDFM_InsertTopicSetRefCmd	Topicsetref...	Esc ITS	5311984	510DF0	
fileDFM_OptionsCmd	DITA Options...	Esc DO	5377520	520DF0	
fileDFM_SpecializationCmd	DITA Specialization...	Esc DS	5443056	530DF0	
resourceManagerDFM_RefManagerCmd	Insert Conref...	Esc IC	5508592	540DF0	
resourceManagerDFM_AssignIdCmd	Assign ID to Element	Esc AI	5574128	550DF0	
resourceManagerDFM_AssignIdToAllCmd	Assign ID to Elements...	Esc AA	5639664	560DF0	
resourceManagerDFM_UpdateRefsCmd	Update References...	Esc UR	5705200	570DF0	
resourceManagerDFM_ManageKeySpacesCmd	Manage Keyspaces...	Esc MK	5770736	580DF0	
resourceManagerDFM_SetKeySpaceCmd	Set Keyspace...	Esc SK	5836272	590DF0	
resourceManagerDFM_OpenAllToicrefsCmd	Open All Topicrefs...	Esc OA	5901808	5A0DF0	
bookDFM_InsertTopicRefCmd	Topicref...	Esc IT	5967344	5B0DF0	
bookDFM_InsertMapRefCmd	Mapref...	Esc IT	6032880	5C0DF0	
bookDFM_InsertTopicSetCmd	Topicset...	Esc IT	6098416	5D0DF0	
bookDFM_InsertKeyDefCmd	Keydef...	Esc IT	6163952	5E0DF0	
bookDFM_InsertTopicSetRefCmd	Topicsetref...	Esc ITS	6229488	5F0DF0	
resourceManagerDFM_OptionsCmd	DITA Options...	Esc DO	6295024	600DF0	
resourceManagerDFM_SpecializationCmd	DITA Specialization...	Esc DS	6360560	610DF0	
bookDFM_RefManagerCmd	Insert Conref...		6426096	620DF0	
bookDFM_AssignIdCmd	Assign ID to Element		6491632	630DF0	
bookDFM_AssignIdToAllCmd	Assign ID to Elements...		6557168	640DF0	
bookDFM_UpdateRefsCmd	Update References...		6622704	650DF0	
bookDFM_ManageKeySpacesCmd	Manage Keyspaces...	Esc MK	6688240	660DF0	
bookDFM_SetKeySpaceCmd	Set Keyspace...	Esc SK	6753776	670DF0	
bookDFM_OpenAllToicrefsCmd	Open All Topicrefs...		6819312	680DF0	
resourcemanageDFM_InsertTopicRefCmd	Topicref...	Esc IT	6884848	690DF0	
resourcemanageDFM_InsertMapRefCmd	Mapref...	Esc IT	6950384	6A0DF0	
resourcemanageDFM_InsertTopicSetCmd	Topicset...	Esc IT	7015920	6B0DF0	
resourcemanageDFM_InsertKeyDefCmd	Keydef...	Esc IT	7081456	6C0DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
resourcemanageDFM_InsertTopicSetRefCmd	Topicsetref...	Esc ITS	7146992	6D0DF0	
bookDFM_OptionsCmd	DITA Options...		7212528	6E0DF0	
bookDFM_SpecializationCmd	DITA Specialization...		7278064	6F0DF0	
fileDFM_NewMapCmd0	New <map>...	Esc NM1	7343600	700DF0	
bookDFM_NewMapCmd0	New <map>...	Esc NM1	7409136	710DF0	
resourceManagerDFM_NewMapCmd0	New <map>...	Esc NM1	7474672	720DF0	
fileDFM_NewMapCmd1	New <bookmap>...	Esc NM2	7540208	730DF0	
bookDFM_NewMapCmd1	New <bookmap>...	Esc NM2	7605744	740DF0	
resourceManagerDFM_NewMapCmd1	New <bookmap>...	Esc NM2	7671280	750DF0	
fileDFM_NewTopicCmd0	New <topic>...	Esc NT1	7736816	760DF0	
bookDFM_NewTopicCmd0	New <topic>...	Esc NT1	7802352	770DF0	
resourceManagerDFM_NewTopicCmd0	New <topic>...	Esc NT1	7867888	780DF0	
fileDFM_NewTopicCmd1	New <task>...	Esc NT2	7933424	790DF0	
bookDFM_NewTopicCmd1	New <task>...	Esc NT2	7998960	7A0DF0	
resourceManagerDFM_NewTopicCmd1	New <task>...	Esc NT2	8064496	7B0DF0	
fileDFM_NewTopicCmd2	New <concept>...	Esc NT3	8130032	7C0DF0	
bookDFM_NewTopicCmd2	New <concept>...	Esc NT3	8195568	7D0DF0	
resourceManagerDFM_NewTopicCmd2	New <concept>...	Esc NT3	8261104	7E0DF0	
fileDFM_NewTopicCmd3	New <reference>...	Esc NT4	8326640	7F0DF0	
bookDFM_NewTopicCmd3	New <reference>...	Esc NT4	8392176	800DF0	
resourceManagerDFM_NewTopicCmd3	New <reference>...	Esc NT4	8457712	810DF0	
fileDFM_NewTopicCmd4	New <glossentry>...	Esc NT5	8523248	820DF0	
bookDFM_NewTopicCmd4	New <glossentry>...	Esc NT5	8588784	830DF0	
resourceManagerDFM_NewTopicCmd4	New <glossentry>...	Esc NT5	8654320	840DF0	
fileDFM_NewTopicCmd5	New <glossgroup>...	Esc NT6	8719856	850DF0	
bookDFM_NewTopicCmd5	New <glossgroup>...	Esc NT6	8785392	860DF0	
resourceManagerDFM_NewTopicCmd5	New <glossgroup>...	Esc NT6	8850928	870DF0	
fileDFM_NewTopicCmd6	New <dita>...	Esc NT7	8916464	880DF0	
bookDFM_NewTopicCmd6	New <dita>...	Esc NT7	8982000	890DF0	
resourceManagerDFM_NewTopicCmd6	New <dita>...	Esc NT7	9047536	8A0DF0	
fileDFM_RefreshCmd	Refresh Menu	Esc RM	9113072	8B0DF0	
bookDFM_RefreshCmd	Refresh Menu		9178608	8C0DF0	
resourceManagerDFM_RefreshCmd	Refresh Menu		9244144	8D0DF0	
kbdBuildXmlForElemCmd	BuildXmlForElem	Esc BE	9309680	8E0DF0	
fileDFM_SearchRefsCmd	Find References...		9375216	8F0DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
resourceManagerDFM_SearchRefsCmd	Find References...		9440752	900DF0	
bookDFM_SearchRefsCmd	Find References...		9506288	910DF0	
ImportPDFComments	PDF Comments...	Esc pdf	9571824	920DF0	
UnilInput_Cmd	Hex Input...		9637360	930DF0	
UnilInput_Cmd_Book	Hex Input...		9702896	940DF0	
CharPalette_Cmd	Character Palette...		9768432	950DF0	
CharPalette_Cmd_Book	Character Palette...		9833968	960DF0	
ScriptOpen	Run	Esc so	9899504	970DF0	
ScriptCatalog	Catalog	Esc sx	9965040	980DF0	
ScriptNew	New Script..		10030576	990DF0	
s1Pub	Publication Module		10161648	9B0DF0	
s1Crew	Crew Module		10227184	9C0DF0	
s1Desc	Description Module		10292720	9D0DF0	
s1IPD	IPD Module		10358256	9E0DF0	
s1Learn	Learning Module		10423792	9F0DF0	
s1Proced	Procedural Module		10489328	A00DF0	
s1Scorm	SCORM Module		10554864	A10DF0	
s1Brex	BREX Module		10620400	A20DF0	
s1AppCRT	Applicability cross-ref table		10685936	A30DF0	
s1CondCRT	Condition cross-ref table		10751472	A40DF0	
s1ProdCRT	Product cross-ref table		10817008	A50DF0	
s1Dml	DML		10882544	A60DF0	
s1OpenDm	Open S1000D...		10948080	A70DF0	
s1saveS1000d	Save As S1000D...		11013616	A80DF0	
s1Idstatus	Show Identification and Status Section		11079152	A90DF0	
s1Tocs	Update ToCs		11144688	AA0DF0	
s1PubSwitch	Switch to Publication Module Book		11210224	AB0DF0	
s1bPubSwitch	Switch to Publication Module Document		11275760	AC0DF0	
s1bPublishIetp	Publish IETP...		11341296	AD0DF0	
s1Csdp	Common Source Data...		11406832	AE0DF0	
s1RefreshCsdp	Refresh Common Source Data...		11472368	AF0DF0	
s1Options	S1000D Options...		11537904	B00DF0	
s1HyperRefDm	Hypertext <refDm>		11603440	B10DF0	
ETB_InsertSymbol	Insert special symbol [ETB]		11668976	B20DF0	
ETB_InsertSymbol2	Insert special symbol [ETB]		11734512	B30DF0	
ETB_InsertSymbol3	Insert special symbol [ETB]		11800048	B40DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
ETB_InsertSymbol4	Insert special symbol [ETB]		11865584	B50DF0	
ImportFormatsSpecial	Import Formats Special...		11931120	B60DF0	
ScriptHistory0	1. MakerIniLocation.jsx		11996656	B70DF0	
ScriptHistory1	2. FMbiblio.jsx		12062192	B80DF0	
PublishHelp	Publish		12127728	B90DF0	

## Script Commands

ESLMRUN	Run...	Esc ES	12258800	BB0DF0	
ESLMREG	Install...	Esc EI	12324336	BC0DF0	
ESLMDREG	Uninstall...	Esc EU	12389872	BD0DF0	
ESLMSWIN	Script Window...	Esc EW	12455408	BE0DF0	
ESLMOPTS	Options...	Esc EO	12520944	BF0DF0	
ESLMCOMP	Compile...	Esc EC	12586480	C00DF0	
ESLMRU_1	H:\Adobe\FM-addons\itl-i-frame\ij-frame\_InstallScriptsInFolder.fsl	Esc EA1	12652016	C10DF0	
ESLMACTIVATE	Activate...	Esc EAC	12717552	C20DF0	
ESLMDEACTIVATE	Deactivate...	Esc EDAC	12783088	C30DF0	
LaunchCaptivateCmd	Launch Adobe Captivate	Esc CD	12848624	C40DF0	
InsertMovieDemo	Insert Adobe Captivate Demo	Esc SF	12914160	C50DF0	
EditDemoCmd	Edit With Adobe Captivate	Esc ST	12979696	C60DF0	
IllustratorLaunch	Launch Illustrator	Esc li	13045232	C70DF0	
IllustratorEdit	Edit With Illustrator	Esc il	13110768	C80DF0	
tab	tab		13176304	C90DF0	
newline	newline		13241840	CA0DF0	
nbspc	nbspc		13307376	CB0DF0	
no-hyphenation	no-hyphenation		13372912	CC0DF0	
opt. hyphen	opt. hyphen		13438448	CD0DF0	
marker	marker		13503984	CE0DF0	
anchor	anchor		13569520	CF0DF0	
formula aligning pt.	formula aligning pt.		13635056	D00DF0	
right	right		13700592	D10DF0	
left	left		13766128	D20DF0	
up	up		13831664	D30DF0	
down	down		13897200	D40DF0	
up-right	up-right		13962736	D50DF0	
up-left	up-left		14028272	D60DF0	
down-right	down-right		14093808	D70DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
down-left	down-left		14159344	D80DF0	
Editors note in frame [ctrl+3]	Editors note in frame [ctrl+3]	Ctrl+3	14290416	DA0DF0	
Callout figure [ctrl+4]	Callout figure [ctrl+4]	Ctrl+4	14355952	DB0DF0	
Frame outside column [ctrl+4]	Frame outside column [ctrl+4]	Ctrl+5	14421488	DC0DF0	
Icon frame [ctrl+6]	Icon frame [ctrl+6]	Ctrl+6	14487024	DD0DF0	
End-of-text-blob	End-of-text-blob		14552560	DE0DF0	
Sophisticated table header	Sophisticated table header		14749168	E10DF0	
Picture Caption	Picture Caption		14814704	E20DF0	
Copyright Notice	Copyright Notice		14880240	E30DF0	
Hint	Hint		14945776	E40DF0	
Warning	Warning		15011312	E50DF0	
E-mail Address	E-mail Address		15076848	E60DF0	
Street Address	Street Address		15142384	E70DF0	
Play	Play		15207920	E80DF0	
Stop	Stop		15273456	E90DF0	
Pause	Pause		15338992	EA0DF0	
Fast Forward	Fast Forward		15404528	EB0DF0	
Rewind	Rewind		15470064	EC0DF0	
EditAT	Edit AutoText.fm...		15535600	ED0DF0	
ATAbout	About Auto-Text...		15601136	EE0DF0	
CleanImport	Clean Import	Esc EC	15666672	EF0DF0	
CleanImportBook	Clean Import	Esc EC	15732208	F00DF0	
ApplyMasterPages	Apply Master Pages...	Esc MP	15863280	F20DF0	
ApplyMasterPagesBook	Apply Master Pages...	Esc MP	15928816	F30DF0	
photoshopLaunch	Launch Photoshop	Esc fl	15994352	F40DF0	
photoshopEdit	Edit with Photoshop	Esc gl	16059888	F50DF0	
roboScreenCaptureLaunch	Launch RoboScreenCapture	Esc fl	16125424	F60DF0	
roboScreenCaptureEdit	Edit with RoboScreenCapture	Esc gl	16190960	F70DF0	
openFileAsText	View In Notepad	Esc cv	16322032	F90DF0	
ESLMRU_2	H:\Adobe\FM-addons\l-tl-i-frame\l-j-frame\Free Scripts\ReportCommands.fsi	Esc EA2	16387568	FA0DF0	
ESLSSRUN100	Dummy		16453104	FB0DF0	
iFrameTemplateTool*	Report: All Formats (Template Tool)		16780784	1000DF0	
iFrameTemplateTool	Report: All Formats (Template Tool)		16846320	1010DF0	
iFrameTemplateToolOptions	Report: All Formats (Template Tool)		16911856	1020DF0	
iFrameDocTOC	Insert/Update DocTOC	Esc DT	16977392	1030DF0	
iFrameDocTOCOptions	Insert/Update DocTOC		17042928	1040DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
iFrameFixLineBreaks	TOC: Fix Line Breaks		17108464	1050DF0	
iFrameGraphScale_SpecifyDefaults	Settings ...	Esc gsd	17174000	1060DF0	
iFrameGraphScale_About	_____ GRAPHIC _____		17239536	1070DF0	
iFrameGraphScale_Grph2Frame	Fit All into Frame	Esc gff	17305072	1080DF0	
iFrameGraphScale_Grph2FWidth	Scale to Frame Width	Esc gfw	17370608	1090DF0	
iFrameGraphScale_Grph2FHeight	Scale to Frame Height	Esc gfh	17436144	10A0DF0	
iFrameGraphScale_GrphOriginal	Scale - Original Size	Esc gfo	17501680	10B0DF0	
iFrameGraphScale_GrphWidth	Scale - Define Width	Esc grw	17567216	10C0DF0	
iFrameGraphScale_GrphHeight	Scale - Define Height	Esc grh	17632752	10D0DF0	
iFrameGraphScale_GrphCenter	Center	Esc gc	17698288	10E0DF0	
iFrameGraphScale_GrphInfo	Info	Esc gi	17763824	10F0DF0	
iFrameGraphScale_Frame	_____ FRAME _____		17829360	1100DF0	
iFrameGraphScale_Frame2GrphW	Scale to Graphic Width	Esc gtw	17894896	1110DF0	
iFrameGraphScale_Frame2GrphH	Scale to Graphic Height	Esc gth	17960432	1120DF0	
iFrameGraphScale_Frame2Grph	Adjust to Graphic	Esc gtg	18025968	1130DF0	
iFrameGraphScale_Enhanced	_____ GRAPHIC & FRAME _____		18091504	1140DF0	
iFrameGraphScale_EnhColWidth	Scale to Text Column Width	Esc gec	18157040	1150DF0	
iFrameGraphScale_EnhFrmWidth	Scale to Text Frame Width	Esc gef	18222576	1160DF0	
iFrameGraphScale_EnhAllWidth	Scale to Text Frame Width (incl. Sidehead)	Esc gea	18288112	1170DF0	
iFrameGraphScale_EnhGlobal	Scale Globally ...		18419184	1190DF0	
iFrameMultiCatalog*	Multi Catalog	Esc mc	18550256	11B0DF0	
iFrameMultiCatalog	Multi Catalog	Esc mc	18681328	11D0DF0	
iFrameMultiCatalogOptions	Multi Catalog		18746864	11E0DF0	
iFrameTableNavigation	Table Navigation		18812400	11F0DF0	
iFrameTableNavOptions	Table Navigation: Options ...		18877936	1200DF0	
iFrameCheckOpenFmBackup	Ask When Opening Backup Documents		18943472	1210DF0	
iFrameCheckOpenFmBackupOptions	Ask When Opening Backup Documents		19009008	1220DF0	
iFrameGroupPluginMenus*	Group Plug-in Menus		19074544	1230DF0	
iFrameGroupPluginMenus	Group Plug-in Menus		19271152	1260DF0	
iFrameGroupPluginMenusOptions	Group Plug-in Menus: Options		19336688	1270DF0	
iFrameMetricsPalette	Metrics Palette ...	Alt+Ctrl+p	19402224	1280DF0	
iFrameMetricsPaletteOptions	Metrics Palette ...		19467760	1290DF0	
iFrameShowQuickNewDoc	New Doc (1-Click)		19533296	12A0DF0	
iFrameShowQuickNewDocOptions	New Doc (1-Click): Options ...		19598832	12B0DF0	
iFrameQuickNewDocLandscape	New Document (Landscape)	Ctrl+Shift+n	19729904	12D0DF0	
iFrameRemoveFontMenu	Hide Font Menus		19795440	12E0DF0	
iFrameRemoveFontMenuOptions	Hide Font Menus		19860976	12F0DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
iFrameCopyGraphicProps*	Graphic Properties: Copy		19926512	1300DF0	
iFrameApplyGraphicProps*	Graphic Properties: Apply		19992048	1310DF0	
iFrameCopyGraphicProps	Graphic Properties: Copy		20057584	1320DF0	
iFrameCopyGraphicPropsOptions	Graphic Properties: Copy		20123120	1330DF0	
iFrameApplyGraphicProps	Graphic Properties: Apply		20188656	1340DF0	
iFrameApplyGraphicPropsOptions	Graphic Properties: Apply		20254192	1350DF0	
iFrameReplaceColors*	Replace ...		20319728	1360DF0	
iFrameDeleteUnusedColors*	Delete unused ...		20385264	1370DF0	
iFrameReplaceColors	Replace Colors ...		20450800	1380DF0	
iFrameReplaceColorsOptions	Replace Colors ...		20516336	1390DF0	
iFrameReportOverrides	Report: Format Overrides ...		20581872	13A0DF0	
iFrameReportOverridesOptions	Report: Format Overrides ...		20647408	13B0DF0	
iFrameSaveFileAsMif*	Save As MIF		20712944	13C0DF0	
iFrameSaveAllOpenFilesAsMif*	Save All Open Files As MIF		20778480	13D0DF0	
iFrameSaveFileAsMif7*	Save As MIF 7.0		20844016	13E0DF0	
iFrameSaveAllOpenFilesAsMif7*	Save All Open Files As MIF 7.0		20909552	13F0DF0	
iFrameSaveBookAsMif*	Save Book As MIF		20975088	1400DF0	
iFrameSaveAllBookFilesAsMif*	Save All Files in Book As MIF		21040624	1410DF0	
iFrameSaveBookAsMif7*	Save Book As MIF 7.0		21106160	1420DF0	
iFrameSaveAllBookFilesAsMif7*	Save All Files in Book As MIF 7.0		21171696	1430DF0	
iFrameSaveAllBooksAsMif*	Save All Books As MIF		21237232	1440DF0	
iFrameSaveAllBookFilesExAsMif*	Save All Files in All Books As MIF		21302768	1450DF0	
iFrameSaveAllBooksAsMif7*	Save All Books As MIF 7.0		21368304	1460DF0	
iFrameSaveAllBookFilesExAsMif7*	Save All Files in All Books As MIF 7.0		21433840	1470DF0	
iFrameConvertMif2FM*	Convert MIF to FM (Folder) ...		21499376	1480DF0	
iFrameSaveAllOpenFilesAsMif	Convert: Save All Open Files As MIF		21564912	1490DF0	
iFrameSaveAllOpenFilesAsMifOptions	Convert: Save All Open Files As MIF		21630448	14A0DF0	
iFrameSaveAllOpenFilesAsMif7	Convert: Save All Open Files As MIF 7.0		21695984	14B0DF0	
iFrameSaveAllOpenFilesAsMif7Options	Convert: Save All Open Files As MIF 7.0		21761520	14C0DF0	
iFrameConvertMif2FM	Convert: MIF to FM (Folder) ...		21827056	14D0DF0	
iFrameConvertMif2FMOptions	Convert: MIF to FM (Folder) ...		21892592	14E0DF0	
iFrameSaveAllBookFilesAsMif	Convert: Save All Files in Book As MIF		21958128	14F0DF0	
iFrameSaveAllBookFilesAsMifOptions	Convert: Save All Files in Book As MIF		22023664	1500DF0	
iFrameOWPShowCharInfo*	OWP Char Info ...	Ctrl+y, Esc ci	22154736	1520DF0	
iFrameOWPPalette	OWP Palette ...	Esc op	22351344	1550DF0	
iFrameOWPPaletteOptions	OWP Palette ...		22416880	1560DF0	
iFrameOWPShowCharInfo	OWP Char Info ...	Ctrl+y, Esc ci	22482416	1570DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
iFrameOWPShowCharInfoOptions	OWP Char Info ...		22547952	1580DF0	
iFrameInfo	[i]-frame Help v1.8.0		22679024	15A0DF0	
iFrameMoveUnusedInsets	Move Unused Graphics/Insets ...		22744560	15B0DF0	
iFrameMoveUnusedInsetsOptions	Move Unused Graphics/Insets ...		22810096	15C0DF0	
iFrameGotoPage	Go to Page ...	Ctrl+Shift+g	22875632	15D0DF0	
iFrameGotoPageOptions	Go to Page ...		22941168	15E0DF0	
iFrameGotoPage*	Go to Page (Book) ... *	Ctrl+Shift+g	23006704	15F0DF0	
iFrameGotoPageBook*	Go to Page ... *	Ctrl+Shift+g	23072240	1600DF0	
iFrameOpenDocsSilently	Open All Files in Book (silently)		23137776	1610DF0	
iFrameOpenDocsOptions	Open All Files in Book: Options ...		23203312	1620DF0	
iFrameOpenDocsSilently*	Open All Files in Book (silently) *		23268848	1630DF0	
iFrameOpenDocFolder	Open Doc Folder	Ctrl+Shift+e	23334384	1640DF0	
iFrameOpenDocFolderOptions	Open Doc Folder: Options		23399920	1650DF0	
iFrameFMArchive	Pack & Go ...		23465456	1660DF0	
iFrameFMArchiveOptions	Pack & Go ...		23530992	1670DF0	
iFrameSortPgfSections	Sort Paragraph Sections ...		23596528	1680DF0	
iFrameSortPgfSectionsOptions	Sort Paragraph Sections ...		23662064	1690DF0	
iFrameSortTableRows	Sort Table Rows ...		23727600	16A0DF0	
iFrameSortTableRowsOptions	Sort Table Rows ...		23793136	16B0DF0	
iFrameSortTableRows*	Sort Rows ... *		23858672	16C0DF0	
iFrameCollectBookFormats	Collect Book Formats ...		23924208	16D0DF0	
iFrameCollectBookFormatsOptions	Collect Book Formats ...		23989744	16E0DF0	
iFrameImportVariableData	Import Variable Data (XLS/MDB) ...		24055280	16F0DF0	
iFrameImportVariableDataOptions	Import Variable Data (XLS/MDB) ...		24120816	1700DF0	
iFrameInsertConditionNames	Insert Condition Tags		24186352	1710DF0	
iFrameInsertConditionNamesOptions	Insert Condition Tags		24251888	1720DF0	
iFrameReportAllColors	Report: Colors		24317424	1730DF0	
iFrameReportAllColorsOptions	Report: Colors		24382960	1740DF0	
iFrameReportElementDefs	Report: Element Definitions		24448496	1750DF0	
iFrameReportElementDefsOptions	Report: Element Definitions		24514032	1760DF0	
iFrameReportFormats	Report: Paragraph and Char Formats		24579568	1770DF0	
iFrameReportFormatsOptions	Report: Paragraph and Char Formats		24645104	1780DF0	
iFrameCreateVariableList	Report: Variable Definitions ...		24710640	1790DF0	
iFrameCreateVariableListOptions	Report: Variable Definitions ...		24776176	17A0DF0	
iFrameTransferVariables	Transfer Variable Definitions ...		24841712	17B0DF0	
iFrameTransferVariablesOptions	Transfer Variable Definitions: Options		24907248	17C0DF0	
iFrameAlignSideHeads	Align Side Heads		24972784	17D0DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
iFrameAlignSideHeadsOptions	Align Side Heads		25038320	17E0DF0	
iFrameComparePgfFmts	Compare Paragraph Formats ...		25103856	17F0DF0	
iFrameComparePgfFmtsOptions	Compare Paragraph Formats ...		25169392	1800DF0	
iFrameCharFormattingsToTags	Convert Character Formattings to Tags		25234928	1810DF0	
iFrameCharFormattingsToTagsOptions	Convert Character Formattings to Tags		25300464	1820DF0	
iFrameCountTableRows	Count Table Rows		25366000	1830DF0	
iFrameCountTableRowsOptions	Count Table Rows		25431536	1840DF0	
iFrameBookOfTextInsets	Create Book of Text Insets		25497072	1850DF0	
iFrameBookOfTextInsetsOptions	Create Book of Text Insets		25562608	1860DF0	
iFrameGetTemplateVersion	Get Template Version		25628144	1870DF0	
iFrameGetTemplateVersionOptions	Get Template Version		25693680	1880DF0	
iFrameInsertLineCounter	Insert Line Counter		25759216	1890DF0	
iFrameInsertLineCounterOptions	Insert Line Counter		25824752	18A0DF0	
iFrameOpenFScriptIni	Open Configuration File fscript.ini		25890288	18B0DF0	
iFrameOpenFScriptIniLocal	Open Local fscript.ini		25955824	18C0DF0	
iFrameOpenMakerIni	Open Configuration File maker.ini		26021360	18D0DF0	
iFrameOpenMakerIniLocal	Open Local maker.ini		26086896	18E0DF0	
iFrameOpenFMConsole	Open FM Console		26152432	18F0DF0	
iFrameOpenFMConsoleOptions	Open FM Console		26217968	1900DF0	
iFrameRefreshDisplay	Refresh Display	Ctrl+I	26283504	1910DF0	
iFrameRefreshDisplayOptions	Refresh Display		26349040	1920DF0	
iFrameRemoveCharTags	Remove Char Tags ...		26414576	1930DF0	
iFrameRemoveCharTagsOptions	Remove Char Tags ...		26480112	1940DF0	
iFrameReportCommands	Report: FM Commands		26545648	1950DF0	
iFrameReportCommandsOptions	Report: FM Commands		26611184	1960DF0	
iFrameReportPgfOverrides	Report: Paragraph Format Overrides		26676720	1970DF0	
iFrameReportPgfOverridesOptions	Report: Paragraph Format Overrides		26742256	1980DF0	
iFrameSearchDocInBook	Search Document in Book ...		26807792	1990DF0	
iFrameSearchDocInBookOptions	Search Document in Book: Options ...		26873328	19A0DF0	
iFrameSelectAnchor	Select Anchor	Esc sa	26938864	19B0DF0	
iFrameSelectAnchorOptions	Select Anchor		27004400	19C0DF0	
iFrameSetDocPosition	Set Document Window Position		27069936	19D0DF0	
iFrameSetDocPositionOptions	Set Document Window Position: Options		27135472	19E0DF0	
iFrameTileBookWindows	Tile Book Windows	Ctrl+Shift+b	27201008	19F0DF0	
iFrameTileBookWindowsOptions	Tile Book Windows: Options		27266544	1A00DF0	
iFrameSetRunaroundToNone	Turn Text Runaround Off for All Graphics		27332080	1A10DF0	
iFrameSetRunaroundToNoneOptions	Turn Text Runaround Off for All Graphics		27397616	1A20DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
iFrameDeleteEmptyTextLines	Delete Empty Textlines ...		27463152	1A30DF0	
iFrameDeleteEmptyTextLinesOptions	Delete Empty Textlines ...		27528688	1A40DF0	
iFrameRemoveConditions	Remove Conditions ...		27594224	1A50DF0	
iFrameRemoveConditionsOptions	Remove Conditions ...		27659760	1A60DF0	
iFrameRemoveUnusedFmts	Remove Unused Formats ...		27725296	1A70DF0	
iFrameRemoveUnusedFmtsOptions	Remove Unused Formats ...		27790832	1A80DF0	
iFrameCheckConditionFormats	Report: Condition Formats		27856368	1A90DF0	
iFrameCheckConditionFormatsOptions	Report: Condition Formats		27921904	1AA0DF0	
iFrameReportFontUsage	Report: Font Usage		27987440	1AB0DF0	
iFrameReportFontUsageOptions	Report: Font Usage		28052976	1AC0DF0	
iFrameMasterPageUsage	Report: Master Page Usage ...		28118512	1AD0DF0	
iFrameMasterPageUsageOptions	Report: Master Page Usage ...		28184048	1AE0DF0	
iFramePaginationAndNumbering	Report: Pagination and Numbering		28249584	1AF0DF0	
iFramePaginationAndNumberingOptions	Report: Pagination and Numbering		28315120	1B00DF0	
iFrameReportReferencedInsets	Report: Referenced Graphics/Insets ...		28380656	1B10DF0	
iFrameReportReferencedInsetsOptions	Report: Referenced Graphics/Insets ...		28446192	1B20DF0	
iFrameReportTables	Report: Tables		28511728	1B30DF0	
iFrameReportTablesOptions	Report: Tables		28577264	1B40DF0	
iFrameReportUFrames	Report: Unanchored Frames		28642800	1B50DF0	
iFrameReportUFramesOptions	Report: Unanchored Frames		28708336	1B60DF0	
iFramePgfOverrides	Show Paragraph Format Overrides		28773872	1B70DF0	
iFramePgfOverridesOptions	Show Paragraph Format Overrides: Options		28839408	1B80DF0	
iFrameChangeIndexSortOrder	Change Index Sort Order ...		28904944	1B90DF0	
iFrameChangeIndexSortOrderOptions	Change Index Sort Order ...		28970480	1BA0DF0	
iFrameUpdateXRefsEx	Cross-Ref Update (Extended)		29036016	1BB0DF0	
iFrameUpdateXRefsExOptions	Cross-Ref Update (Extended): Options		29101552	1BC0DF0	
iFrameFindTextOverflow	Find Text Overflow	Esc to	29167088	1BD0DF0	
iFrameFindTextOverflowOptions	Find Text Overflow		29232624	1BE0DF0	
iFrameStatistics	FM Statistics ...		29298160	1BF0DF0	
iFrameStatisticsOptions	FM Statistics ...		29363696	1C00DF0	
iFrameMoveMarkerForTrans	Move Markers for Translation ...		29429232	1C10DF0	
iFrameMoveMarkerForTransOptions	Move Markers for Translation ...		29494768	1C20DF0	
iFrameRemoveAllConditions	Remove All Conditions ...		29560304	1C30DF0	
iFrameRemoveAllConditionsOptions	Remove All Conditions ...		29625840	1C40DF0	
iFrameRenameBookComps	Rename Book Components ...		29691376	1C50DF0	
iFrameRenameBookCompsOptions	Rename Book Components ...		29756912	1C60DF0	

<i>Command Name</i>	<i>Command Label</i>	<i>Shortcut</i>	<i>FC Dec</i>	<i>FC Hex</i>	<i>FDK Name &amp; Comments fcodes.h</i>
iFrameCreateCharList	Report: CharList		29822448	1C70DF0	
iFrameCreateCharListOptions	Report: CharList		29887984	1C80DF0	